
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.61

Price List



Swan River Nursery

Patchogue, L. I., N. Y.

2

1940



Jwan River Nursery

CAn Invitation to Swan River

Those interested in trees and plants out-of-doors are always cordially welcome. The Swan River Nursery is located one mile east of Patchogue, Long Island, on Montauk Highway. Our large nursery is on both sides of the highway and you will note a white display fountain on the south side of the road and a large Sales Building on the north side of the road.

SALES DEPARTMENT

We maintain a special SALES DEPARTMENT for the convenience of those who want a few plants in a hurry. Whatever you select is ready for shipment and can be placed in your car with no delay. We have here everything for the garden that is worthwhile, including fertilizers, peat moss, garden tools, flower seeds and Scott's lawn seed.

THE PLANTING SEASON

Transplanting can be done successfully as soon as the frost is out of the ground in the spring until early June. Evergreens and herbaceous perennials can be successfully transplanted until early July. We usually begin to dig about March 20th.

Evergreens may be transplanted successfully during August, September and October; herbaceous perennials during September and until the middle of October. Deciduous trees, shrubs, vines, fruit trees transplant best during March, April, May, October and November.

Pot grown roses can be planted all through the summer.

SHIPPING DIRECTIONS

In ordering nursery stock our customers are requested to state explicitly the mode of conveyance by which they wish their stock forwarded. We make shipments by express, freight, or motor truck. When no route or method is designated, we exercise our judgment. When losses occur by detention or mishandling, claim should at once be made on the transportation company by the consignee.

PLANT NAMES

We have endeavored to list our plants in accordance with the names as given in "Standardized Plant Names," which has been officially adopted by the American Association of Nurserymen.

If you have difficulty in finding in our price list any varieties you wish, write us and we will give you an immediate reply as to whether or not we can furnish them.

CONDITIONS OF SALE

The articles herein listed will be furnished in accordance with the following schedule:

1 to 4 plants of one kind will be priced at the each rate, whatever the aggregate of a list made up in numbers of less than 5 plants of a specific sort may be.

5 to 24 plants of one kind and size will be priced at the ten rate.

25 or more plants of one kind will be furnished at the hundred rate, when hundred rates are given.

FROM THIS SCHEDULE WE WILL NOT VARY because of the fact that considerable time is required to assemble an order made up of small lots of a kind that are scattered over the nursery.

We make no charge for packing retail orders, except on very large evergreens and large shade trees.

WE GUARANTEE our plants to grow and will replace all sold retail that fail to thrive within one year from date of purchase, with the following understanding: That the bill is to be paid within one month after the stock has been received and that our planting suggestions, as outlined in this catalogue, are followed. The customer will be expected to assume a small delivery charge. If the planting was carried out by us the customer is to pay for delivery and planting at cost. If we do not have the tree or trees of question in stock, other plants with the same expenditure are to be selected from our nursery. We assume no responsibility for trees we transplant that belongs to an owner on his property.

TERMS

Our terms are cash, unless by special agreement. Oharge accounts may be opened upon receipt of the names of a bank and two or more parties with whom the customer has credit relations, allowing us time for investigation. We can ship by express C. O. D. when desired, with charges for collection added to the bill—provided 20 per cent of the amount of the order accompanies the same as a guarantee.

BALL AND BURLAP

An extra charge is made to ball and burlap plants, unless specified in catalogue. Charges are based as follows:

SHRUBS AND SMALL TREES

2 to 3 ft. @ .20 for 12" B. & B.

3 to 4 ft. @ .30 for 14" B. & B.

4 to 5 ft. @ .50 for 15" B. & B.

5 to 6 ft. @ .75 for 16" B. & B.

6 to 8 ft. @ 1.25 for 18" B. & B.

TREES

1" 1.00 for 15" B. & B. caliper @ 11/4" 1.25 for 18" (0) 11/2" (a) 1.75 for 20" 1 3/4 " 66 W 2.25 for 22" 2" 66 @ 3.00 for 24" 66 21/2" (a) 4.00 for 28" 66 5.50 for 32" 66 W 31/2" 66 @ 7.50 for .36" 4" @ 10.00 for 40" 41/2" 66 66 13.00 for 44" @ 20.00 for 48"

Respectfully yours,

SWAN RIVER NURSERY

PATCHOGUE, L. I., N. Y.

GRACE A. AVERY

HUMPHREY R. AVERY

Owner Manager

Telephone: Patchogue 1200

Suggestions for Planting

Preparing Holes

Dig the hole not less than 1 foot wider than the root area of the specimen it is to hold and from a foot to 2 feet in depth, according to the depth of its root system. If the soil is poor a few inches of rotted litter should be thrown into the bottom of the hole and dug in to the depth of 6 inches or more. If the soil at the bottom is hard, it should be broken up in a pulverized state to a depth of a foot or so.

Setting Tree

system carefully and cut all the broken or bruised portions of the roots with a clean, sharp knife or pruning shears. In setting the tree spread the roots out naturally so that they will not be twisted or crowded, then fill in gradually with fine soil, working it carefully under and about the roots, so that no holes or air spaces will be left. If it is a deciduous plant, shake the tree or shrub up and down so as to pack the soil layer by layer, carefully tramping it down until it is firmly packed about the roots. Continue this process until the hole is filled within 2 inches from the top. The remainder of the soil should be used in a way to form a small basin around the tree. This is to keep the water from running away when applied.

Mulching

In the Fall, place a mulch of dry leaves, hay or well rotted stable litter about the base of each tree. This mulch should be 6 inches deep and extend 2 to 3 feet beyond the natural spread of the roots.

Weigh down with dirt, light slats or boards to prevent wind from blowing off during Winter. If well rotted straw, hay or stable litter has been used, spade in well around the base of each tree in the Spring. Any mulch that is of no value should be removed in early Spring as soon as the frost is out of the ground.

Watering

When dry weather comes on in the latter part of June, July, August and early September, it will be necessary to water newly planted evergreens, especially for the first two or three years after transplanting. A thorough watering twice a week is far more beneficial than a daily sprinkling of the topsoil.

Cultivation

Don't wait for your evergreens to begin to show signs of suffering before you start cultivation. Start keeping the soil stirred up immediately after planting. Frequent cultivation is the secret of moisture conservation. The ground must be kept loose and mellow by cultivating weekly,

Evergreens and Conifers

Evergreens are used in many ways, some of which are as follows: Specimens on a lawn, foundation plantings around houses, windbreaks, hedges and as screens for objectionable objects.

Our evergreens are thrifty, well-rooted and have been several times transplanted.

All evergreens will be balled and burlapped without charge.

We recommend planting during April, May and June, August, September and October.

		Each 10	Rate
AE	HES arizonica (Silver Cork Fir). beneath and steel blue above.	Foliage	whiter
	2 to 3 ft B. & B	3.25	3.00
	3 to 4 ft "	4.00	3.50
	4 to 5 ft "	5.00	4.50
	5 to 6 ft "	7.50	
A.			
	needles and symmetrical growth. I men or group.	Jsed for	speci-
	2 to 2½ ft B. & B	2.25	2.10
	2½ to 3 ft "	2.75	2.50
	3 to 4 ft "	3.25	3.00
	4 to 5 ft "	5.00	4.50
	5 to 6 ft "	6.00	5.40
	6 to 7 ft "	8.00	7.20
	7 to 8 ft. specimens "	12.00	10.80
	9 to 10 ft. specimens "	18.00	16.20
		o \$50.00	
	15 to 20 ft. specimens " \$75.00 to	\$125.00	
	20 to 25 ft. specimens " \$150.00 to	\$200.00	-
A,	firma (Momi Fir). Native of Jap rigid deep green leaves.	an. Has	large
	18 to 24 in B.&B	1.50	1.35
	2 to 2½ ft "	1.85	1.65
	2½ to 3 ft "	2.00	1.80
	8 to 10 ft "	14.00	12.60
	10 to 12 ft "	18.00	
A.	fraseri (Fraser Fir). Also known	as Sou	ithern

Baisain Fir. It is hardy north and a very satis-

7.50

10.00

12.00

15.00

factory tree.

5 to 6 ft. B. & B.

6 to 8 ft.

8 to 10 ft.

10 to 12 ft.

ABIES—Continued

Each 10 Rate

A.	homole	epsis (Nikk	o F	ir). H	as dark	green	leaves,
	silver	white	on	the	lower	surface	with	purple
	cones.							

7	to	8	3 ft.	 66		11.00	9.90
8	to	9	ft.	 : 46		14.00	12.60
10	to	12	ft.	 66 '	• • • • • •	18.00	16.20
12	to	14	ft.	 	• • • • • • •	25.00	22.50

A. nordmanniana (Nordman Fir). Tall tree, slow growing. Dark, glossy green foliage. Used for specimen.

堆	6	to	7	ft.	specimens	46		15.00	
*	7	to	8	ft.	specimens	66	• • • • •	25.00	
*	8	to	10	ft.	specimens	66		37.50	
*	10	to	12	ft.	specimens	66		50.00	
*	12	to	14	ft.	specimens	66		60.00	-
*	14	to	16	ft.	specimens	"		75.00	

A. veitchi (Veitch Fir). Tall, symmetrical tree. Foliage dark green above, silvery beneath. Used for specimen.

3 to 4 ft. " 4.00 3.6 4 to 5 ft. " 5.50 5.0 5 to 6 ft. " 7.00 6.3 6 to 7 ft. " 8.50 7.6 7 to 8 ft. " 11.00 9.9 8 to 10 ft. " 14.00 12.6 10 to 12 ft. " 17.00 —	2	to	21/2	ft.	 B. & B.		2.50	
4 to 5 ft. " 5.50 5.0 5 to 6 ft. " 7.00 6.3 6 to 7 ft. " 8.50 7.6 7 to 8 ft. " 11.00 9.9 8 to 10 ft. " 14.00 12.6 10 to 12 ft. " 17.00 —	2	½ t	0 3	ft.	 - 66		3.00	2.70
5 to 6 ft. " 7.00 6.3 6 to 7 ft. " 8.50 7.6 7 to 8 ft. " 11.00 9.9 8 to 10 ft. " 14.00 12.6 10 to 12 ft. " 17.00 —	3	to	4	ft.	 66		4.00	3.60
6 to 7 ft " 8.50 7.6 7 to 8 ft. " 11.00 9.9 8 to 10 ft. " 14.00 12.6 10 to 12 ft. " 17.00 —	4	to	5	ft.	 66		5.50	5.00
7 to 8 ft 11.00 9.9 8 to 10 ft 14.00 12.6 10 to 12 ft 17.00	5	to	6	ft.	 66		7.00	6.30
8 to 10 ft " 14.00 12.6 10 to 12 ft " 17.00 —	6	to	7	ft.	 66		8.50	7.65
10 to 12 ft " 17.00 —	7	to	8	ft.	 66		11.00	9.90
	8	to	10	ft.	 66		14.00	12.60
12 to 14 ft " 22.00 —	10	to	12	ft.	 66	• • • • • •	17.00	parameter de la constitución de
	12	to	14	ft.	 46		22.00	Aprilla Maryan Anggaria

BUXUS (Boxwood). See Evergreen Shrubs.

CEDRUS atlantica glauca (Blue Atlas Cedar). Medium tree of open growth. Fine steel-blue needles. Used as specimen.

3	to	4	ft.	 B. & B.	 4.50	-
4	to	5	ft.	 B. & B.	 7.00	6.30
					9.00	-
S	peci	me	ns .	 66	 300.00 to	500.00

C. libani (Lebanon Cedar). Dark or bluish green foliage; horizontal branches forming broad head.

_					_		
4	to	5	ft.	 B. & B.		10.00	9.00
						15.00	13.50
6	to	7	ft.	 66		20.00	18.00
8	to	10	ft.	 . "		25.00	-
						30.00	-

Each 10 Rate CHAMAECYPARIS lawsoniana alumni (Scarab Cypress). Pyramidal tree, silvery blue foliage, very distinct. 2 to 2½ ft. B. & B. 1.35 1.25 2½ to 3 ft. " 3½ to 4 ft. " 4 to 5 ft. " 5 to 6 ft. " 6 to 8 ft. " 8 to 10 ft. " 2.00 1.50 2.70 3.00 4.00 3.75 5.00 4.50 7.50 6.75 to 10 ft. 12.00 C. obtusa (Hinoki Cypress). Medium size, slow-growing. Rich, dark green, fern-like foliage. Forms beautiful specimen. 4.50 3.75 4 to 5 to 5.25 4.50 6 to 6.007 to 10.00 9.00 8 to 14.00 12.60 10 to 12 ft. 18.00 16.20 12 to 14 ft. 22.00 -. obtusa compacta (Football Cypress). Very slow, compact grower. Pyramidal. 1.50 1.25 2.75 2.50 18 to 24 in. B. & B. 3 to 3½ ft. " 3½ to 4 ft. " 4 to 5 ft. " 5 to 6 ft. " 6 to 7 ft. " 3.25 3.75 6.00 5.40 7.20 8.007 ft. 6 to 10.00 C. obtusa crippsi (Cripps Golden Cypress). A slow growing golden leaved form. Bright yellow at all seasons. 5 ft. B. & B. 4 to 6 ft. " 7 ft " 5 to 8.00 7.20 10.00 7 ft. 6 to 9.00 66 8 to 10 ft 15.00 C. obtusa gracilis (Slender Hinoki Cypress). Narrow irregular pyramid, rich dark green foliage, Slow grower—picturesque. 18 to 24 in. B. & B. 1.80 2.00 2 to 2½ ft. " 2½ to 3 ft. " 3 to 4 ft. " 4 to 5 ft. " 5 to 6 ft. " 2.50 2.25 3.60 4.00 " 5.00 4.50. " 6.00 5.40 9.00 8.10 6 to 7 ft. 12.00 C. obtusa nana (Dwarf Hinoki Cypress). Compact dwarf, forming dense, irregular mass. Suitable for rock garden. *10 to 12 in. B. & B. 2.50 *12 to 15 in. " *15 to 18 in. " *18 to 24 in. " *24 to 30 in. " 3.50 5.00 6.50

*24 to 30 in.

8.00

.

CHAMAECYPARIS—Continued

THOUSE TO TREAS.	Eac	h	10	Rate
------------------	-----	---	----	------

						Each 1	0 Rate
C.	pisifera	a (Sawa	ra Cy	press).	Quick	growing	, pyra-
	midal.	Broad,	flat	foliage	of deep	, glossy	green.
	2 to	2½ ft.		B. & I	3	1.50	
	6 to	7 ft.		"		6.00	
	7 to	8 ft.		"		9.00	
	8 to	10 ft.		46		12.00	10.80
	10 to	12 ft.		"		16.00	14.40
	_						
C.	pisifera						Bright
	•	_			as pisi	fera.	
	3 to	4 ft.			3	2.50	2.25
	4 to	5 ft.		66		3.50	3.00
	5 to	6 ft.		"		4.50	4.05
	6 to	7 ft.	• • • • • •	46	• • • • •	6.50	6.05
	7 to	8 ft.		46	• • • • •	10.00	9.00
	8 to	10 ft.		66		14.00	12.60
	10 to	12 ft.		66		18.00	16.20
	12 to	14 ft.		66		27.00	
C.	pisifera	filifera	(Thre	ad Ret	inospora). Brigh	t green
	foliage	. Long,	string	g-like,	drooping	branch	es.
					3	2.00	1.75
	5 to		-		• • • • •	7.50	6.50
	6 to	8 ft. s		ens "	• • • • •	10.00 15.00	
	8 to					20.00	
C.	pisifera	filifera	aurea	(Golde	n-threa	d Retino	spora).
	Bright	golden	yellov	v foliag	ge. Slow	growin	g.
	2½ t	o 3 ft.		B. & B		3.00	
	3 to	3½ ft.		"		5.00	
	3½ t	o 4 ft.		66		6.00	5.40
		4½ ft		4.6		7.50	
	4½ t	o 5 ft	• • • • •	"		9.00	8.00
C	pisifera	nlumos	ra (P	luma E	Patinaen	ra) Fo	rme o
0.	_				. Usefu		
		rmal sh		CAULIC	. Osciu	1 101 51.	Carras
		o 2 ft	_	D 8, D		1.20	.90
		2½ ft		ъ. « ъ		1.35	1.10
		o 3 ft		"		1.90	1.50
	3 t	o 4 ft	• • • • •	"		2.50	2.25
		o 5 ft		"	• • • • •	3.25	3.00
		o 6 ft		46	• • • • •	4.25	
		o 7 ft o 8 ft		"	• • • • •	5.50 7.50	5.00 6.75
		o 9 ft		66,		10.00	9.00
		10 ft		"		12.00	11.00
	10 to	12 ft		66		18.00	16.20
	15 to	16 ft		66	\$35.00 to	o \$50.09	-

Each 10 Rate

C. pisifera piumosa aurea (Golden Plume Cypress). Dense mass of yellow foliage.

18 to	24 in		B. & B		1.25	1.05
2 to 2	2½ ft.		66		1.50	1.30
2½ to	3 ft.		66	• • • • •	2.25	1.90
3 to 3	3½ ft.		"		2.75	2.25
3½ to	4 ft.		"		3.25	2.70
4 to	5 ft.		46		4.00	3.60
5 to	6 ft.		66		6.00	5.40
6 to	7 ft.		66		7.00	6.30
7 to	8 ft.		66		8.00	7.20
8 to	9 ft.		"		11.00	
	10 ft.		66		14.00	
		pecimer	ıs "	\$20.00 to	\$40.00	
		pecimer		40.00 to	•	

C. pisifera plumosa lutescens (Sulphur Plume Dwarf Retinospora). Low, dwarf, round-topped bush. Yellow-tipped branches.

$1\frac{1}{2}$	to 2	ft.	 B. & B.	 	1.50	1.25
2 to	21/2	ft.	 66	 	1.80	1.50
21/2	to 3	ft.	 66	 	2.25	2.00
3 to	$3\frac{1}{2}$	ft.	 66	 • • •	3.00	2.70
31/2	to 4	ft.	 66	 	4.00	3.60
4 to	5 5	ft.	 "	 • • •	5.50	5.00
5 to	o 6	ft.	 66	 	7.50	6.75
6 to	8 c	ft.	 "	 	12.00	

C. pisifera squarrosa veitchi (Moss Retinospora). Foliage blue-gray, feathery and dense.

					B. & B.		1.50	1.35
2	to 2	21/2	ft.		"		2.00	1.80
21	∕2 to	3	ft.		"		2.50	2.25
3	to	4	ft.		66		3.50	3.25
							5.00	4.50
5	to	6	ft.		66		6.50	6.00
6	to	7	ft.		46		9.00	8.50
					"		15.00	14.50
10	to	12	ft.	• • • • • •	66	• • • • •	25.00	-

C. triomphe de Boskoop (Triomphe de Boskoop Cypress). Blue-green foliage. Slightly pendulous. Used as specimen.

51	½ to	6	ft.		B. & B.		5.00	4.50
6	to	7	ft.	• • • • • •	44			6.75
7	to	8	ft.		"	• • • • •	10.00	8.10
						• • • • •	12.50	11.25
9	to	10	ft.		66		15.00	13.50
12	to	14	ft.				20.00	
14	to	16	ft.		"		25.00	
16	to	18	ft.		"		30.00	
18	to	20	ft.		"			

Each 10 Rate

CRYPTOM	ERIA	japonica	comp	acta (J	apanese	Cedar).
Large	tree,	forming	narro	w, irr	egular	column.
Compac color.	et and	l pictures	sque.	Rich,	bronze	Winter

21/2	e to	3	ft.	 B. & B.	 2.75	
3	to	4	ft.	 6.6	 3.50	
4	to	5	ft.	 66	 4.00	3.60
5	to	6	ft.	 66	 5.00	4.50
6	to	7	ft.	 44	 7.50	6.75
7	to	8	ft.	 66	 10.00	8.10
8	to	10	ft.	 66	 15.00	13.50
10	to	12	ft.	 66	 20.00	18.00
12	to	14	ft.	 66	 30.00	27.00
14	to	16	ft.	 4.6	 35.00	

JUNIPERUS chinensis (Chinese Juniper). Formal columnar-type, having gray-green foliage.

3	to	4	ft.	 B. & B.	 4.00	3.60
4	to	5	ft.	 66	 5.00	4.50
5	to	6	ft.	 66	 6.00	5.40
6	to	7	ft.	 44	 7.00	6.30
7	to	8	ft.	 46	 9.00	8.10
8	to	10	ft.	 44	 12.00	10.30
10	to	12	ft.	 "	 18.00	16.20
12	to	14	ft.	 "	 25.00	22.50
14	to	16	ft.	 66	 35.00	

J. chinensis alba variegata (White Leaf Chinese Juniper). Symmetrical low growing evergreen. Bluish foliage interspersed with creamy branches.

5	to	6	ft.	 B. & B.	 5.00	4.50
6	to	7	ft.	 66	 7.50	6.75
7	to	8	ft.		 0.00	8.10
8	to	10	ft.	 66	 12.00	

J. chinensis pfitzeriana (Pfitzer Juniper). Broad, bushy habit, with horizontally spreading branches. Gray-green foliage. One of the best dwarf forms.

18	to 24	in.	 B. & B.	 2.50	2.25
2	to 3	ft.	 66	 4.00	3.60
3	to 3½	ft.	 "	 5.00	4.50
3	½ to 4	ft.	 "	 6.00	5.40
4	to 5	ft.	 66	 7.00	6.30
5	to 6	ft.	 66	 10.00	9.00
6	to 7	ft.	 66	 12.00	11.00
7	to 8	ft.	 66	 18.00	16.00
8	to 10	ft.	 66	 25.00	24.00

J. chinensis columnaris (Columnar Chinese Juniper). Very rapid growing spire-like evergreen.

3	to	4	ft.	 B. & B.	 2.75	2.50
4	to	5	ft.	 66	 3.50	3.25
5	to	6	ft.	 66	 5.50	5.00
6	to	7	ft.	 66	 7.00	6.30
7	to	8	ft.	 "	 9.00	
8	to	10	ft.	 66	 12.00	10.80
10	to	12	ft.	 66	 15.00	13.50
12	to	14	ft.	 66	 20.00	18.00
14	to	16	ft.	 66	 25.00	22.50
16	to	18	ft.	 66	 30.00	

JUNIPERUS—Continued

	Each 1	Rate
J. chinensis fortunei. A broad irregular	pyrami	d with
attractive gray-green foliage.	ند مان مان	. • •
6 to 7 ft B. & B	,	
7 to 8 ft "	11.00	10.00
8 to 10 ft "	12.00	11.00
10 to 12 ft "	18.00	15.00
		6
J. chinensis neaboriensis (Conical Chin	nese Ju	niper).
Very formal, narrow pyramid. P	rickly	leaves.
Useful accent plant.		142
2 to 2½ ft B. & B.	2.00	1.80
2½ to 3 ft "	3.00	2.70
3 to 4 ft "	4.00	3.50
4 to 5 ft "	5.00	4.50
5 to 6 ft "	6.00	5.50
	·	
J. chinensis sargenti (Sargent Juniper)	. A pr	ostrate
evergreen with long, creeping bran	ches.	
18 to 24 in B. & B	2.75	2.25
2 to 2½ ft "	3.50	3.00
$2\frac{1}{2}$ to 3 ft "	4.25	3.75
3 to 4 ft "	5.00	4.50
		,
J. communis (Common Juniper). Low,	dense,	fasti-
giate form. Gray-green foliage.		
$2\frac{1}{2}$ to 3 ft B. & B	3.00	·
3 to 3½ ft "	3.50	:
3½ to 4 ft "	4.25	
4 to 5 ft "	5.75	
5 to 6 ft "	7.25	6.55
υ ω ο τι	10.00	9.00
J. communis aurea (Douglas Golden J	iîninan)	T OW-
spreading type. Bright golden folia		TOW-
2 to 2½ ft B. & B		** **
2½ to 3 ft "	2.25 2.50	
3 to 3½ ft "	3.00	2.70
3½ to 4 ft "	3.75	3.25
4 to 5 ft "	4.25	
5 to 6 ft "	5.50	
I communic depueses (Communication)	dia	
J. communis depressa (Common Spread		ni p er).
Spreading type with light bluish	_	0.00
18 to 24 in B. & B 2 to 2½ ft "	2.25 2.50	2.00
2½ to 3 ft "	3.00	2.25 2.70
3 to 3½ ft "	3.50	
3½ to 4 ft "	4.25	3.85
4 to 5 ft "	5.75	
5 to 6 ft "	7.25	

JUNIPERUS Continued		
Contract to the second	ach 10	Rate
J. communis hibernica (Irish Juniper).		
row pyramid of spire-like effect.	11 1013	
1½ to 2 ft B. & B	.75	
2 to 2½ it	1.00 1.50	
2½ to 3 ft " 3 to 4 ft "	2.25	2.00
4 to 5 ft "	3.25	2.95
5 to 6 ft "	4.25	3.75
6 to 7 ft "	5.25	
J. communis oblonga. Evergreen of bro	arri hec	onilar
,	ad Hie	guiai
growth. Grayish foliage.		
2 to 2½ ft B. & B	2.00	
2½ to 3 ft "	2.50	
3 to 4 ft "	3.50	3.25
4 10 3 16	4.50	4.00
5 00 6 10	6.00	5.50
0 W / IV	7.50	
7 to 8 ft " 8 to 10 ft "	10.00 15.00	
8 to 10 it	15.00	
form. Blue-green foliage. Semi dwar 18 to 24 in B. & B		181 In
J. excelsa stricta (Spiny Greek Cedar). Co	amna <i>e</i> t	well_
, h.		Wem-
shaped pyramid. Foliage gray-green		4.00
15 to 18 in B. & B	1.20	1.00
10 00 24 111	1.50	1.25
2 00 2 16	2.00	1.80
27/2 00 3 10	2.50	2.25 3.15
3 00 3 72 10	3.50 5.00	3.15 4.50
4 to 5 ft " 5 to 6 ft "	7.50	6.75
6 to 7 ft "	10.00	9.00
	10.00	3.00
T Indiania (Traden Tenina) Theal	1 b - b	
J. hudsonica (Hudson Juniper). Excel	ient tra	ming
plant useful for rock work.	. 1	
15 to 18 in B. & B	1.50	
18 to 24 in "	2.00	
2½ to 3 it	3.50	
3 10 3 1/2 11	4.50	
372 10 4 11	5.50 7.50	7.00
4 10 5 16,	7.50	
5 to 6 ft "	9.50	8.00
J. japonica (Japanese Juniper). Low-groing type. Dark green foliage.	wing sp	read-
2 to 2½ ft B. & B	3.00	2.70
2½ to 3 ft "	3.75	3.25
3 to 3½ ft "	4.50	4.00
3½ to 4 ft "	5.50	5.00

JUNIPERUS Continued	
H	Each 10 Rate
J. sabina (Savin Juniper). Dense, dark	green foliage,
irregular spreading branches.	
18 to 24 in B. & B	1.75 1.50
2 to 2½ ft "	2.25 2.00
2 to 3 ft "	2.75 2.50
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3.75 3.50
3 to 3½ ft "	4.50 4.00
3½ to 4 ft "	
4 to 5 ft "	
5 to 6 ft "	7.00 —
J. squamata meyeri (Meyer Juniper).	
green shrub. Very dense habit. H	andsome blue
foliage.	
15 to 18 in B. & B	1.75 1.50
18 to 24 in	2.25 2.00
2 to 2½ ft "	2.75 2.25
2½ to 3 ft "	3.75 3.2 5
_ ' T	4.50 4.00
·-	
4 to 4½ ft "	7.50
J. virginiana (Red Cedar). Tall and si	lender. Useful
in formal plantings.	
6 to 7 ft. sheared specimens	6.50 6.00
77 4- 0.54 (6 (6	9.00 8.10
0 1- 10 54 46 46	12.00 11.00
10 4- 10 64 (()(17.00 16.75
12 00 14 16.	27.00 25.00
14 60 10 16.	33.00 34.00
10 10 10 10.	38.00
18 to 20 ft. " "	43.00
J. virginiana cannarti. (Cannart Cec	dar). Medium
height, dense growing, columnar for	rm tree. Deep
rich green foliage.	_
5 to 6 ft B. & B	6.50 5.85
and the second s	9.00 8.50
	12.00 11.00
6 W 10 1t	15.00 14.00
10 00 12 16	20.00 18.00
12 to 14 ft	25.00 ——
14 to 16 ft "	30.00 ——
J. virginiana elegantissima (Goldtip Red	cedar). Bright
yellow-tipped branches. Bronze in	
4 to 5 ft B. & B	4.50 4.00
5 to 6 ft "	6.00 5.40
	7.50 6.25
7 to 8 ft "	10.00 9.00
I missimiano alamas (Gilman Dadas dan)	Manusa dans
J. virginiana glauca (Silver Redcedar).	
column. Bluish-gray foliage. Used	_
6 to 7 ft B. & B	7.00 6.30
7 to 8 ft "	9.00 8.10
8 to 10 ft "	14.00 12.60
10 to 12 ft "	19.00 17.10
12 to 14 ft "	24.00

	JUNIPERUS—Continued	Į	
		Each 10	Rate
J.	virginiana globosa. Dwarf and compinteresting shapes.	pact. Gro	ws in
	2 to 2½ ft B. & B	3.00	2.75
	2½ to 3 ft "	4.00	3.60
	3 to 3½ ft "	5.00	4.50
	0 00 0 /2 10	0.00	1.00
J.	virginiana Keteleeri. Upright, colum pact and formal. Deep green foliag	•	com-
	8 to 10 ft B. & B	10.00	9.00
	10 to 12 ft "	15.00	13.50
	12 to 14 ft "	19.00	17.10
	14 to 16 ft "	24.00	
	16 to 18 ft "	35.00	
PI	CEA canadensis (White Spruce). symmetrical growth. Dense, silver		
	1½ to 2 ft B. & B	$1.00 \\ 1.35$.90 1.10
	2 to 2½ ft "	1.50	1.10
	2½ to 3 ft " 3 to 4 ft "	2.25	2.00
	4 to 5 ft "	3.25	3.00
	5 to 6 ft "	4.50	4.00
	6 to 7 ft "	7.00	6.30
	7 to 8 ft "	8.00	7.20
	8 to 10 ft "	12.00	
	10 to 12 ft "	17.00	
	12 to 14 ft "	25.00	
P.	engelmanni. Very much resembles Fiage much softer. 2 to 2½ ft B. & B	3.00	fol-
	$2\frac{1}{2}$ to 3 ft "	3.50	
P.	excelsa (Norway Spruce). Large growth. Dark green foliage. Excell		
	1½ to 2 ft B. & B	1.00	
	2 to 2½ ft "	1.35	
	2½ to 3 ft "	1.50	
	3 to 4 ft "	2.25	
	4 to 5 ft "	3.25	3.00
	5 to 6 ft "	4.50	4.00
	6 to 8 ft "	8.00	
	8 to 10 ft "	12.00	11.00
	10 to 12 ft "	18.00	17.50
	12 00 14 10	24.00	
	14 00 10 16	30.00	-
	10 00 20 10 35.00	to 50.00 to 100.00	
P.	excelsa aurea (Golden Norway Spr golden yellow. Likes partial shade		ves a
	-		
	10 to 12 ft B. & B		
	12 to 14 ft "	35.00	•
P.	excelsa conica (Arrowhead Norwa compact, symmetrical type. Very s		
	10 to 12 ft B. & B	25.00	

PICEA—Continued

18. 18. 10	Each 10 Rate
P. excelsa pendula (Weeping	Norway Somica) An in-
teresting and unique branches.	
'ti'	T
* 3 to 4 ft B. & * 4 to 5 ft "	C 00
* 4 to 5 ft " *5 to 6 ft "	7.50
* 6 to 8 ft "	10.00
* 8 to 10 ft "	15.00 ——
*10 to 12 ft	20.00 —
P. excelsa pygmea (Pygmy	Norway Spruce). Dwarf,
slow growing evergreen.	,
2 to 2½ ft B. &	B 7.50 —
2½ to 3 ft "	10.00 —
3½ to 4 ft "	15.00 —
4 to 5 ft	20.00 —
5 to 6 ft "	25.00 —
P. evcelsa pyramidalis (Pyr	imidal Norway Spruce).
The very erect branches	form a narrow pyramid.
8 to 10 ft B. &	B 15.00 —
P. excelsa remonti (Remont	Sprice) Dwarf form of
Norway Spruce. Dense, f	
* 3½ to 4 ft B. &	•
* 4 to 5 ft "	35.00
* 5 to 6 ft "	45.00
* 6 to 7 ft "	60.00
0 00 1 10	
P. glauca conica (Dwarf Elbe	erta Spruce). Very com-
pact, slow growing type.	200
*18 to 24 in B. &	
*24 to 30 in	4.00
, *30 to 36 in	5.00
* 3 to 3½ ft " * 4 to 5 ft	6.00 —— 9.00 ——
4 10 5 10,	, 9.00
P. pungens glauca moerheimi	
A symmetrical grafted type	
ior in color and compact	ness.
2 to $2\frac{1}{2}$ ft	4.50 4.25
2½ to 3 ft	6.50 6.00
3 to 3½ ft "	8.00 7.20
3½ to 4 ft	10.00 —
4 to 4½ ft "	12.00 —
4½ to 5 ft	15.00 —
P. omorika (Servian Sprud	e). Handsome tree of
dense, narrow habit. Ver	
18 to 24 in B. &	
2 to 3 ft	6.00
3 to 4 ft "	7.00
4 to 5 ft "	10.00
5 to 6 ft "	15.00
6 to 7 ft "	20.00
7 to 8 ft "	25.00

PICEA—Continued

PICI	A Contin	ued.		
		Ea	ch 10	Rate
P. orientalis (Orienta	(Compan)			
	1 19			
midal tree. Dark		T 19 19 19 19 19 19 19 19 19 19 19 19 19		. '
*18 to 24 in				3.25
* 2 to 2½ ft	• •,	• • • • • ,	4.50	4.00
		1 0:		
P. polita (Tigertail S)	pruce). Ligh	ht green.	spiky	foli-
age. Useful as sp		3 ,		_
•			3.00	2.70
	B. & B.			
3 to 4 ft		• • • • •	4.50	4.00
4 to 5 ft		• • • • •	6.00	5.40
5 to 6 ft		• • • • •		6.75
6 to 7 ft	• •	• • • • • •	9.00	8.10
7 to 8 ft	•		12.00	11.00
8 to 9 ft	• •		15.00	
9 to 10 ft			20.00	
10 to 12 ft			30.00	-
12 to 14 ft			40.00	
14 to 18 ft			50.00	-
P. pungens (Colorado	Spruce), S	ymmetri	cal tree	for
specimen or windle				
				9 70
3 to 4 ft			3.00	2.70
4 to 5 ft	•	• • • • •	4.00	3.60
5 to 6 ft	•	• • • • •	6.00	5.40
6 to 7 ft	•		8.00	7.20
7 to 8 ft	•			10.80
8 to 10 ft				14.40
10 to 12 ft			24.00	22.60
12 to 14 ft	. 44		30.00	
P. pungens glauca (Colorado E	Blue Spr	uce). S	ym-
metrical tree for		_		
2½ to 3 ft	_		4.00	3.70
3 to 4 ft		*	5.00	4.50
		• • • •	_	
4 to 5 ft	•	• • • • •	6.00	5.40
5 to 6 ft	•		7.50	6.75
6 to 7 ft	•		9.00	8.10
7 to 8 ft	•			10.80
8 to 10 ft	•			18.00
10 to 12 ft	•			27.50
12 to 14 ft		4	10.00	
			,	
P. pungens kosteri (Ko			Silvery-	blue
foliage, giving dist	inct color t	one.		
*18 to 24 in	. В. & В		3.50	
* 2 to 2½ ft			5.00	
* 2½ to 3 ft			6.50	
* 3 to 3½ ft			8.00	
* 3½ to 4 ft			0.00	
* 4 to 5 ft			2.00	(Chinama)
* 5 to 6 ft			5.00	
* 6 to 7 ft				
* 7 to 8 ft			5.00	
	•			
* 8 to 10 ft			0.00	
*10 to 15 ft		50.00 to 7		
*15 to 20 ft		75.00 to 12	•	
*20 to 30 ft	. " 18	50.00 to 17	0.00	

PICEA—Continued

P.	pungens kosteri pendula (Espruce). Very drooping ty Spruce. * 8 to 10 ft B.&B. *10 to 12 ft	pe of	60.00 75.00 100.00	Blue
PI	NUS cembra (Swiss Stone Pi	ne). Ve	erv slow g	row-
,	ing, symmetrical pyramid			
	growth.			
	*18 to 24 in B. & B.		4.00	3.60
	* 2 to 2½ ft "		6.00	
	* 2½ to 3 ft "		9.00	
	* 3 to 3½ ft "			
	* 3½ to 4 ft "		15.00	-
P.	flexilis (Lumber Pine). Dark, Very hardy.			
	2 to 3 ft B. & B.		3.50	3.00
	3 00 4 10	• • • • •	4.50	4.00
	4 10 5 16	• • • • •	5.50	
	0 00 0 10		7.50	6.75
	0 10 0 11	• • • • •	10.00	9.00
	0 00 10 10	• • • • •	14.00	13.50
	10 00 12 16,	• • • • •	18.00	
	12 00 14 10	• • • • •	22.00	
	14 10 10 11		27.00	
	18 to 20 ft "	• • • • •	35.00	
P.	koraiensis. Blue green in cole that partially droop. 2 to 3 ft B. & B.		long ned	edles
	3 to 4 ft "		4.50	
P.	montana mughus (Mugho P symmetrical dwarf. Foliage	dark g	reen.	
	15 to 18 in B. & B.	• • • • •	2.25	2.00
			2.50	2.25
		• • • • •	3.50	3.35
			4.00	3.60
			5.00	4.50
	· ·	• • • • •	6.00	5.40
			7.50	6.75
	5 to 6 ft "		15.00	
	6 to 7 ft " 7 to 8 ft "	• • • • •	18.00	
		• • • •	25.00	

PINUS—Continued

	Phos—commued		
		Each	10 Rate
P	nigra (Austrian Pine). Vigorous,		
	tree. Foliage glossy, dark green.		
	shore planting.	aoou	TOI SCAL
	-	0.0	
	2 to 3 ft. sheared B. & B		-
	3 to 4 it. sheared		
	4 to 5 It. sheared	•	-
	5 to 6 lt	_	
	0 00 7 10,		
	7 to 8 ft "		
	8 to 9 ft "	20.0	
	9 to 10 ft "	. 30.0	
	10 to 12 ft "	40.0	00 —
	12 to 14 ft "	. 50.0	0
	14 to 16 ft "	. 60.0	00
P.	parviflora (Japanese White Pine	Dw.	arf var-
	iety, open growth, bluish-green fo		
	2 to 2½ ft B. & B	-	ın
	2½ to 3 ft "		
	2/2 00 0 16	. J.U	U 4.15
70	months and (Ded Direc) Itimeses and		an T. A
r.	resinosa (Red Pine). Vigorous, sy		
	Long, rich green needles, reddish	brown	bark.
	9 to 10 ft B. & B	18.0	0
	10 to 12 ft "	25.0	0 22.50
	12 to 14 ft "	35.0	0 32.50
	14 to 16 ft " 50.00	to 75.0	0
	16 to 20 ft " 75.00	to 100.0	0
P.	strobus (White Pine). Tall, straight	tree w	ith blue-
	tinted foliage. Group or screen p		
	6 t o 7 ft B. & B	· ·	
	19 A - A A	0.0	
	0 4 40 44	15.0	
	40 4- 40 44	05.0	
	4 A A - 4 B BA		
		45.0	
	16 to 18 ft "		
	18 00 20 10	75.0	
	24 to 30 ft "	100.0	0
10	ewimestwis (Contab Dina) A manid	omovein.	a hand-
r.	sylvestris (Scotch Pine). A rapid some tree. Good for windbreaks.	RIOMIII	s, mailu-
	18 to 24 in B. & B		
	2 to 2½ ft "		
	$2\frac{1}{2}$ to 3 ft "	2.5	_
	3 to 4 ft "	3.0	$0 \qquad 2.75$
P.			growing
	round, symmetrical type. Used as	s speci	men.
	2½ to 3 ft B. & B	4.0	0
	3 to 3½ ft "	F 0	
	3½ to 4 ft "	0.0	_
	4 to 4½ ft "	F7 0	
	4½ to 5 ft "		0 7.20
	5 to 6 ft. specimen "	15.0	_
	6 to 7 ft. specimen "	25.0	
	a gay a man nggarananan a a a a a a a		

PINUS—Continued

,	Each 10	Rate
P. thunbergi (Japanese Black Pine).	Exceller	nt for
seashore, sandy, or windswept sitt	uations.	
* 2 to 3 ft B. & B	2.50	2.25
* 3 to 4 ft "	4.00	3.75
* 4 to 5 ft "	6.00	5.40
* 5 to 6 ft "	10.00	9.00
• 6 to 7 ft "	18.00	15.00
* 7 to 8 ft "	22.00	20.00
* 8 to 9 ft "	27.00	25.00
* 9 to 10 ft "	35.00	30.00
*10 to 12 it	45.00	40.00
*12 to 14 ft "	55.00	-
PSEUDOTSUGA douglasi (Douglas F	Hr) Pors	midal
tree of dense, graceful habit.	ii). I jio	MILITARY.
2 to 3 ft B. & B	2.00	
3 to 4 ft "	3.00	2.70
4 to 5 ft "	4.00	3.50
5 to 6 ft "	6.00	5.40
6 to 7 ft "	8.00	7.20
7 to 8 ft "	10.00	9.00
8 to 9 ft "		10.80
9 to 10 ft "	18.00	16.20
12 to 14 ft "	30.00	27.00
14 to 16 ft "	40.00	34.00
16 to 18 ft "	50.00	45.00
SCIADOPITYS verticillata (Umbrella growing Japanese tree. Pyramidal dark green needles. Used as specin	with unnen.	usual
1½ to 2 ft B. & B	5.00	4.75
2 to 2½ ft "	7.50	6.00
272 00 3 10	10.00	9.00
3 to 4 ft. specimens "	14.00	13.00
4 to 5 ft. specimens "	18.00	00.00
5 to 6 ft. specimens " 6 to 7 ft. specimens "	22.50	22.00
	27.00	26.75
	35.00	34.50
8 to 10 ft. specimens " 10 to 12 ft. specimens "	45.00 50.00	44.50
		47.50
TAXUS baccata davastoni. Very comp dency to droop.	pact, has	ten-
18 to 24 in B. & B	4.00	3.50
2 to $2\frac{1}{2}$ ft "	4.50	4.00
2½ to 3 ft "	5.50	5.00
3 10 3 1/2 10	7.50	6.75
3½ 10 4 11	12.00	
4 10 3 10,	18.00	16.20
5 to 6 ft "	25.00	
T. baccata dovastoni aureovariegata	(Yellow	Dov-
aston Yew). Low-growing, spread		
drooping at the end. Short green gated with yellow.	_	
* 2½ to 3 ft B.&B	5.50	
* 3 to 3½ ft "	7.50	
* 3½ to 4 ft "	12.00	
* 4 to 5 ft "	15.00	

					Each 1	10 Rate
T.	baccata elegant	issima (Varie	gated	English	Yew).
	Compact, sym		-		_	
	variegated.		0 2			
	* 2 to 21/2 ft	B.	& B.		4.50	-
	* 2½ to 3 ft			• • • • •	5.50	
	* 3 to 31/4 ft	• • • • •			7.50	
	* 3½ to 4 ft				12.00	•
	* 4 to 5 ft		44	• • • • •	18.00	***************************************
ran .	bassata hibamia	a (Triale	Word	370	unmich	t donce
T,	baccata hibernic branches. Dark					i dense
	2 to 2½ ft				5.00	
	2½ to 3 ft				7.00	-
	3 to 3½ ft.				9.00	
	3½ to 4 ft				12.00	,
	4 to 5 ft		**		15.00	***************************************
	5 to 6 ft				20.00	
	6 to 7 ft				25.00	
T.	baccata repande					
	growing, spread	_		droop	ing at t	he end.
	Very dark gree					
	1½ to 2 ft		4.4		3.00	2.70
	2 to 2½ ft		44	• • • • • •	4.00	
	2½ to 3 ft		**	• • • • •	6.00	
	3 to 3½ ft			• • • • •	9.00	_
	3½ to 4 ft			• • • • • •	12.00	
	4 to 5 ft 5 to 6 ft			• • • •	16.00	
	3 W 6 It	• • • • •		• • • • •	20.00	10.00
T.	baccata washing	rtoni (W	/ashin	gton :	Yew). V	igorous
T.	baccata washing compact type.	Partly o	colored	golde		
T.	compact type. 18 to 24 in	Partly o	colored	golde	en yello 3.50	
T.	compact type. 18 to 24 in 2 to 2½ ft	Partly (B.	xolored & B.	golde	en yello 3.50 4.50	
T.	compact type. 18 to 24 in	Partly (B.	xolored & B.	l golde	en yello 3.50	
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft	Partly (B.	colored & B.	l golde	en yello 3.50 4.50 5.50	W.
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft	Partly (B nada Ye	colored & B. " ew). L	l golde	en yello 3.50 4.50 5.50	W.
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis in Win 1½ to 2 ft	Partly of B. B. and Year Pre B. B.	wlored & B. " ew). L fers s & B.	ow sp	en yello 3.50 4.50 5.50	W.
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis (Canadensis)) 1½ to 2 ft 2 to 2½ ft	Partly of B. B. and A. Ye ter. Pre B. B.	ew). Lafers saw B.	ow sp	2.25 3.50 4.50 5.50 5.50	w habit. 2.00 2.60
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis (Canadensis)) 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft	Partly of B. nada Yeter. Pre B.	colored & B. " ew). L fers s & B.	ow sp	en yello 3.50 4.50 5.50 preading 2.25 3.00 4.00	w habit. 2.00 2.60 3.60
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft	Partly of B. nada Yeter. Pre B.	ew). Lafers si	ow sp	2.25 3.00 4.50 5.50 2.25 3.00 4.00 5.00	habit. 2.00 2.60 3.60 4.50
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft	Partly of B. nada Yeter. Pre B.	ew). Lafers saw B.	ow sp	2.25 3.00 4.00 5.50 5.50 5.50 6.00	w habit. 2.00 2.60 3.60 4.50 5.40
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft	Partly of B. nada Yeter. Pre B.	colored & B. " ew). L fers s & B. "	ow sp	2.25 3.00 4.00 5.00 6.00 7.50	w habit. 2.00 2.60 3.60 4.50 5.40 7.00
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft	Partly of B. nada Yeter. Pre B.	ew). Lafers saw B.	ow sp	2.25 3.00 4.00 5.50 5.50 5.50 6.00 7.50 10.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00
	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft	Partly of B. nada Yeter. Pre B.	colored & B. " ew). L fers s & B. "	ow sp	2.25 3.00 4.00 5.00 6.00 7.50	w habit. 2.00 2.60 3.60 4.50 5.40 7.00
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft	Partly of B. nada Yeter. Pre B.	ew). Lafers saws. "" "" "" "" "" "" "" "" "" "" ""	ow sp	2.25 3.00 4.00 5.50 5.50 5.50 6.00 7.50 10.00 15.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2½ to 3 ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadus) bushy type. Fo	Partly of B. nada Yeter. Pre B. ading Jagliage rice	colored & B. " ew). Lafers si & B. " " panese ch, dan	ow sphade. Yew)	2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadushy type. For 15 to 18 in	Partly of B. nada Yeter. Pre B. ading Jagliage rid B.	ew). Lafers saw B. " " " " " " " " " " " " " " " " " "	ow sphade. Yew)	en yello 3.50 4.50 5.50 breading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-e	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadus) to 18 in 18 to 24 in	Partly of B. nada Yeter. Pre B. ading Jagliage ric B.	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade. Yew)	en yello 3.50 4.50 5.50 creading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-6 en.	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 3½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadus) to 18 in 18 to 24 in 2 to 2½ ft	Partly of B. nada Yeter. Pre B. ading Jagliage rid B.	w). Lew). Lews. Le	ow sphade. Yew)	2.25 3.00 4.00 5.50 reading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-6 en. 1.75 2.25 3.50	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) canadensis (Canadensis) 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadus) to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft	Partly of B. nada Yeter. Pre B. ading Jailiage rice. B.	colored & B. " ew). Lafers s & B. " " panese ch, dan & B. " " "	ow sphade.	en yello 3.50 4.50 5.50 breading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-6 en. 1.75 2.25 3.50 4.50	w habit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Can Bronze in Win 1½ to 2 ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadure) bushy type. For 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3 to 3½ ft	Partly of B. nada Yeter. Pre B. ading Jagliage rice. B.	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade.	en yello 3.50 4.50 5.50 breading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-8 en. 1.75 2.25 3.50 4.50 6.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing 2.00 3.00 4.00 5.40
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadus) bushy type. For 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft	Partly of B. nada Yeter. Pre B. ading Jasliage rice. B.	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade. Yew)	en yello 3.50 4.50 5.50 breading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-6 en. 1.75 2.25 3.50 4.50 6.00 9.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Canadensis (Canadensis) Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadure) bushy type. For 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 4½ ft 4 to 4½ ft	Partly of B. nada Yeter. Pre B. ading Jagliage ric B.	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade.	en yello 3.50 4.50 5.50 5.50 reading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 . Slow-6 en. 1.75 2.25 3.50 4.50 6.00 9.00 12.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing 2.00 3.00 4.00 5.40 8.10 10.80
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Can Bronze in Win 1½ to 2 ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadure) bushy type. For 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 it 3 to 3½ ft 3½ to 4 ft 4 to 4½ ft 4½ to 5 ft	Partly of B. nada Yeter. Pre B. ading Jagliage rice. B.	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade. Yew)	2.25 3.00 4.00 5.50 5.50 5.50 5.50 6.00 7.50 10.00 15.00 . Slow-6 en. 1.75 2.25 3.50 4.50 6.00 9.00 12.00 15.00	w habit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing 2.00 3.00 4.00 5.40 8.10 10.80 13.50
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Can Bronze in Win 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadure) bushy type. For 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 4½ ft 4½ to 5 ft 5 to 6 ft. spreadure)	Partly of B. nada Yeter. Pre B. ading Jayliage rid B.	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade. Yew)	en yello 3.50 4.50 5.50 5.50 5.50 6.00 7.50 10.00 15.00 1.75 2.25 3.50 4.50 6.00 9.00 12.00 15.00 20.00	whabit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing 2.00 3.00 4.00 5.40 8.10 10.80
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Can Bronze in Win 1½ to 2 ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadury) 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft. spreadury) 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 4½ ft 4½ to 5 ft 5 to 6 ft. spreadury) 5 to 6 ft. spreadury) 15 to 6 ft. spreadury)	Partly of B. nada Yeter. Pre B. ading Jagliage rice. B. becimens becimens	colored & B. "" "W). Lifers s. & B. "" "" "" "" "" "" "" "" ""	ow sphade.	en yello 3.50 4.50 5.50 5.50 reading 2.25 3.00 4.00 5.00 6.00 7.50 10.00 15.00 1.75 2.25 3.50 4.50 6.00 9.00 12.00 15.00 20.00 30.00	m habit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing 2.00 3.00 4.00 5.40 8.10 10.80 13.50 18.00
т.	compact type. 18 to 24 in 2 to 2½ ft 2½ to 3 ft canadensis (Can Bronze in Win 1½ to 2 ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft cuspidata (Spreadury) 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 5 ft 5 to 6 ft. spreadury) 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4 to 4½ ft 4½ to 5 ft 5 to 6 ft. spreadury) 5 to 6 ft. spreadury) 15 to 6 ft. spreadury)	Partly of B. nada Yeter. Pre B. ading Jagliage rid B. cecimens becimens becimens	colored & B. " " " " " " " " " " " " " " " " " "	ow sphade. Yew)	en yello 3.50 4.50 5.50 5.50 5.50 6.00 7.50 10.00 15.00 1.75 2.25 3.50 4.50 6.00 9.00 12.00 15.00 20.00	m habit. 2.00 2.60 3.60 4.50 5.40 7.00 9.00 14.00 growing 2.00 3.00 4.00 5.40 8.10 10.80 13.50 18.00

TAXUS—Continued

Each	10	Rate

T.	cuspidata	capitata (U	pright.	Japanese	Yew).	Sym-
	metrical,	pyramidal	growth	i. Foliage	rich	dark
	green.					

1½ to 2 ft B. & B	2.00	1.80
2 to 2½ ft "	3.00	2.70
2½ to 3 ft. specimens "	4.00	3.60
3 to 3½ ft. specimens "	5.25	4.75
3½ to 4 ft. specimens "	7.50	6.75
4 to 4½ ft. broad specimens B. & B	10.00	9.00
4½ to 5 ft. broad specimens B. & B	. 12.00	10.80
5 to 6 ft. broad specimens B. & B	. 15.00	13.50
6 to 7 ft. broad specimens B. & B	20.00	18.00
7 to 8 ft. broad specimens B. & B	30.00	
8 to 10 ft. broad specimens B. & B	50.00	
10 to 12 ft. broad specimens B. & B	6. 60.00	

T. capitata (Upright Japanese Yew). Slender specimens or hedge plants.

arcus or neage prattes.	10 Rate 100) Rate
5½ to 6 ft 9.25	8.75	
6 to 6½ ft 10.00	9.50	9.00
6½ to 7 ft 10.75	10.25	9.75
7 to 8 ft 13.00	12.50	12.00

Each 10 Rate

T. cuspidata hatfieldi (Hatfield Yew). Forms a compact perfectly furnished cone shaped bush that offers many possibilities in small garden.

_						
*2	to 21/2	½ ft	B. & B.		4.00	3.60
*3	to 4	4 ft	4.6		6.00	5.50
*4	to 8	5 ft	44	• • • • •	7.50	7.00
*5	to (6 ft	44		10.00	9.00

T. cuspidata intermedia (Spreading Japanese Yew). Slow-growing and similar to cuspidata, but much more compact.

11101	C COLL	prior.	•				
					10	Rate 1	00 Rate
15	to 18	in.		B. & B.	2.50	2.25	
18	to 24	in.		44	3.50	3.30	
2	to 21/2	ft.		44	4.50	4.20	
2	1/2 to 3	ft.		44	6.00	5.40	4.50
3	to 31/2	ft.		44	8.00	7.20	5.50
3	1/2 to 4	ft.		44	10.00	9.00	7.00
4	to 41/2	ft.	heavy	specimens	12.00	10.80	9.00
4	1/2 to 5	ft.		44	15.00	13.50	11.00
5	to 6	ft.		64	25.00	22.50	13.50
6	to 7	ft.		44	45.00	40.00	
7	to 8	ft.		44	65.00	60.00	
8	to 9	ft.		44	80.00		
9	to 10	ft.		44	90.00		
10	to 12	ft.		4.6	100.00		

TAXUS—Continued				
ı	Each 10	Rate		
T. cuspidata nana (compacta) (Dwarf Ja	panese	Yew).		
Slow growing, irregular and spreading	_			
green, broad, thick leaves.				
15 to 18 in B. & B	3.00	2.70		
18 to 24 in "	4.00	3.50		
2 to 2½ ft "	6.00	5.50		
2½ to 3 ft "	8.00	7.20		
3 to 3½ ft "	12.00	10.80		
3½ to 4 ft "	17.00	15.30		
4 to 4½ ft "	25.00	22.50		
4 10 3 11	30.00	27.50		
0 10 0 10	40.00			
6 to 7 it	50.00			
T. cuspidata pyramidalis ovienda. Com	pact, u	pright		
yew. Dark green foliage.				
2 to 2½ ft B.&B	6.00			
2½ to 3 ft "	9.00	-		
3 to 3½ ft "	12.00			
3½ to 4 ft "	16.00	15.00		
T. media hicksi (Hicks Japanese Yew). I	Especiall	y fine		
upright grower. Short dark green	foliage	very		
formal.		-		
18 to 24 in B. & B	2.50			
2 to 2½ ft "	4.00	3.60		
272 10 3 16	5.5 0	5.00		
3 W 372 II	6.50	6.00		
3 ½ to 4 It " 4 to 4½ ft "	7.00 9.00	8.10		
4½ to 5 ft "	12.00			
5 to 5½ ft "	15.00			
5½ to 6 ft "	20.00			
The modic the meni (The years News) Years		h com		
T. media thayeri (Thayers Yew). Low,	wide si	pread-		
ing form of distinct type.				
18 to 24 in B. & B	3.00	2.75		
2 to 2½ ft "	5.00			
2½ to 3 ft "	6.00	5.40		
THUJA occidentalis (American Arborva				
pyramid, broad at base. Foliage br	onze in	Win-		
ter. Good for hedge or sheared spec	imen.			
18 to 24 in B. & B	.60	.55		
2 to 3 ft "	1.20	1.10		
3 to 4 ft "	1.50	1.20		
4 10 5 16,	2.00	1.80		
5 W 0 Ib	3.00 4.50			
7 to 8 ft "	6.00	5.40		
8 to 9 ft "	8.00	7.20		
9 to 10 ft "	10.00	9.10		
10 to 12 ft "	14.00	13.00		
12 to 14 ft "	18.00			
14 to 16 ft "	25.00			
16 to 20 ft "	35.0 0	34.00		

THUJA—Continued

THUJA—Continued		
	Each 1	Rate
T. occ. Columbia (Columbia Arbory		
growing pyramid. Foliage tips have		
gation.	Birtory	10110
	1.50	1.25
18 to 24 in B. & B	1.50	
2 W 273 14	2.00	1.80
272 10 3 10	2.25	2.00
3 to 4 ft "	3.00	2.75
4 to 5 ft "	4.00	
5 to 6 ft "	6.00	
6 to 7 ft "	7.50	
7 to 8 ft "	10.00	
8 to 10 ft "	15.00	
T. occ. compacta (Parson's Dwarf Arb	orvitae).	For-
mal globe-shape with bright green		
12 to 15 in B. & B	.60	.50
15 to 18 in "	.80	.75
18 to 24 in "	1.25	
2 to 2½ ft "	2.00	1.80
2½ to 3 ft "		2.25
3 to 3½ ft "	3.75	
3½ to 4 ft "	4.00	3.75
		•
Thuya occ. elegantissima (Golden-tippe	d Arbor	ritae)
Branches tipped with yellow. Fine		
18 to 24 in B. & B	1.25	
2 10 3 11	1.50	1.25
4 to 5 ft " 5 to 6 ft "	3.00	2.50 4.25
5 to 6 ft " 6 to 7 ft "	6.00	
7 to 8 ft "	8.00	
8 to 10 ft "	10.00	9.00
10 to 12 ft "	14.00	
12 to 14 ft "	18.00	
T. occi globosa (Globe Arborvitae). Na	tural coi	mpact
globe. Low growing.		iipact
	1.00	00
15 to 18 in B. & B 18 to 24 in	1.00 1.50	.90 1.25
2 to 2½ ft "	2.00	1.80
2½ to 3 ft "	2.50	2.25
3 to 3½ ft "	3.50	3.00
T. occi hoveyi (Hovey Arborvitae).	Dwarf	oval
type with dense, rich green foliage.		
15 to 18 in B. & B	1.00	
1½ to 2 ft "	1.35	
2 to 2½ ft "	1.80	
2½ to 3 ft "	2.25	
3 to 3½ ft "	2.75	
3½ to 4 ft "	3.25	
4 to 5 ft "	4.00	

			THUJA	-Oon	tinued		,
						Each	10 Rate
T.	occ. lute	ea (G	eorge I	Peabod	y Arbor	vitae).	Strong-
	growing	, pyr	amidal	type v	vith brig	tht yell	low fol-
	lage.					- 0.0	
			• • • • • •	B. & I	3	1.25	
			• • • • •	44	• • • • •	1.50	
	3 to 4 to			44	• • • • •	2.25 2.75	
	5 to			44		3.75	
				44		5.50	
	7 to			4.4		7.00	
	9 to			46		9.00	8.00
	10 to	12 ft.		66		12.00	
T.	occ. pyra						
	Winter.	u tyr	e. Poli	age pr	ight gre	en_thr	ougnout
					3	1.25	
			• • • • •	46	• • • • •	1.50	
			• • • • •	44	• • • • •	2.00	
	4 to 5 to			44	• • • • •	3.00 4.50	
	6 to			. 66		6.00	
	7 to		• • • • • •	46		8.00	
	8 to			44		10.00	
				44	• • • • •	12.00	
	10 to	12 ft.		4.6		16.00	15.00
T.	occ. riv					_	•
					vigorou		
	6 to 7 to			B. & B		7.00	
				44		9.00 12.00	
				44		15.00	
				44		20.00	
T.	ooc. rosen	thali	(Rosen	thal A	rborvitae	e). Slov	v-erow-
	ing pyra						. 6.0
				_		1.50	1.25
	2 to 2	½ ft.		44		1.75	1.50
	$2\frac{1}{2}$ to			4.6		2.25	
	3 to 3			44	• • • • •	3.00	
	3½ to			44	• • • • • •	3.50	
			• • • • • •	66	• • • • •	4.00	
	-		• • • • • •	44	• • • • •	6.00 7.50	
	7 to			44	• • • • • •	10.00	
				4.6		15.00	14.00
T.	oco. spira			Pyran			
	mal pyr deep gre	amida	al type				
				B. & B.		1.50	1.25
	3 to	4 ft.		44		2.50	2.25
				44	• • • • •	3.00	2.70
	5 to		• • • • • •	44		4.00	3.60
				46	• • • • •	6.00	5.40
	7 to		• • • • •	44	• • • • •	7.50	6.75
	8 to		• • • • •	44	• • • • •	10.00	
			• • • • • •	46		12.00	11.00
	12 10 1	± 16.	• • • • • •	÷*	• • • • •	15.00	

THUJA—Continued

. 4			Each	10 Rate
T.	occ. vervaeneana (Vervaene	Arborvitae)	Broad
•	pyramid. Foliage value bronze in Winter.			
	4 to 5 ft	D 8- D	4.00	3.60
	5 to 6 ft	44	5.04	
	6 to 7 ft	44	\dots 5.00	
	7 to 8 ft		7.50	
	8 to 10 ft	• • • • • • • • • • • • • • • • • • • •	10.00	
	10 to 12 ft	•	14.00	
T.				green,
	dense foliage Broad		· -	
	1½ to 2 ft	B. & B		
	2 to 2½ ft	• • • • • • • • • • • • • • • • • • • •	1.50	
	2½ to 3 ft		2.25	
	3 to 4 ft	••	3.00	
	4 to 5 ft	•	4.50	
	5 to 6 ft	• • •	6.00) —
T.	occ. woodwardi. On Arborvitaes.	e of the	best globe	-shaped
	12 to 15 in	B. & B		.60
	15 to 18 in	46	1.00	.90
	18 to 24 in		1.50	
FET	orientalis aurea nana	/Dorleys	ania Caldon	Ambon
A.	vitae). Excellent for			
	Compact, rounded,			-
	golden yellow.	•		
	12 to 15 in			
	15 to 18 in	66	1.50	
	18 to 21 in	•	1.80	
	21 to 24 in	•	2.25	
	2 to 2½ ft	66	$\dots 2.75$	
	2½ to 3 ft	1.4.	3.25	
	3 to 3½ ft	•	4.50	
	3½ to 4 ft	- '	 7.5 0	
	5 to 6 ft. specin		20.00	
	6 to 8 ft. specin	nens	35.00	
T.	orientalis aurea cons Erect, golden yellow		ldspire Arbo	orvitae).
	18 to 24 in		1.50	
	2 to 21/2 ft	44	2.00	
	2½ to 3 ft	44	3.00	
	3 to 4 ft		4.00	
	4 to 5 ft	44	5.00	
	5 to 6 ft	44	7.00	
T.	orientalis elegantissi	ima (Vell	low Colum	Arbor-
	vitae). Columnar t			
	Winter.			
	$2\frac{1}{2}$ to 3 ft		3.00	2.50
	3 to 4 ft		3.5 0	3.00
	4 to 5 ft		4.50	4.00
	5 to 6 ft		6.00	
	6 to 7 ft		8.00	
	8 to 10 ft	4.5	10.00	
	12 to 14 ft	66	15.00	

					THUJ	A—Cont	inued		
								Each 1	0 Rate
T.	plica	ata	ai	rov	irens	(Giant	Arborvi		
	_					leaves.			Ü
	4	to	5	ft.		. B. & B		3.00	
	5	to	6	ft.				4.00	
	6	to	7	ft.		•		4.50	4.00
	7	to	8	ft.				5.50	5.00
	8	to	9	ft.				7.00	6.30
	9	to	10	ft.				8.00	7.20
	10	to	12	ft.		•		15.00	14.00
,	12	to	14	ft.				20.00	18.00
	14	to	16	ft.				2 5.00	22. 50
T	stand	lich	i (Sta	ndish	Arborvit	ae) Vio	mmus u	nright
						pyrami			
					ntings		a. Obca	111 610	up or
	_			-	_	. В.&В		2.00	1.75
	3	to						3.00	2.70
	4	to						4.00	3.60
	5	to					• • • • •	5.00	4.50
	6	to					• • • • •	6.00	5.40
	7	to					• • • • •	8.00	7.20
	8	to						10.00	9.00
	9							12.00	10.80
	10							15.00	13.50
TS						anada H		_	_
	_			_		il habit.	_	_	zontal
					-	used as			
						. B. & B.	• • • • •	1.50	1.30
					• • • • •		• • • • •	2.25	2.00
							• • • • • •	2.75	
								3.50	
					• • • • •			4.50	
	5				• • • • •			7.00	6.30
	6				Heavy			9.00	8.10
	7				Heavy			12.00	
	8				Heavy			18.00	
	9				Heavy			22.00	20.00
	10				Heavy			30.00	27.00
	12				Heavy			40.00	37.50
	14	to	16	ft.	Heavy	7 "	• • • • •	55.00	48.50
T.	canad	lens	sis.	He	edge n	lants—si	ngle lea	der	
•	5	to				B. & B.		6.00	5.25
	6	to						8.00	7.25
			•	-0.		•		0.00	1,20

TSUGA—Continued

Each 10 Rate

T. canadensis pendula (Sargents Weeping Hemlock). A very desirable evergreen tree of weeping habit. Branches spreading.

	Bra	inch	es	spr	eading.				
	15	to	18	in.		B. & B.	,	4.50	4.00
	18	to	24	in.		66		6.00	5.50
	2	to 2	21/2	ft.		. 66		7.50	7.00
	2	1/2 to	3	ft.		66		9.00	8.10
	3	to 3	31/2	ft.		66		11.00	
	3	½ to	4	ft.		66		15.00	
	4	to	5	ft.		66		18.00	
	5	to	6	ft.		66		21.00	
T.	caro	linea	anu	m.	Evergr	een of	good ha	bit and	color.
	* 3	to	4	ft.		B. & B.		4.50	
	* 4	to				66		6.00	
	* 5	to	6	ft.		66		9.00	8.00
	* 6					66		15.00	13.50
	* 7	to	8	ft.		66		18.00	17.50
	* 8	to	10	ft.		66		2 2.50	
T.					_			aceful sp	oread-
							clossy fo		
						B. & B.		6.50	
					• • • • •	66	• • • • •	8.50	
	4.	TA	-	TT				15.00	

5 ft. 15.00 to 6 ft. 66 20.00 to 7 ft. 66 6 30.00 8 ft. 66 7 to 40.00 66 8 to 10 ft. 50.00

B. & B.—Balled and Burlapped.



Evergreen Shrubs

In Winter, when the landscape is almost shorn of its beauty, the bright, glossy foliage of evergreen shrubs make a brave display, and are on this account, doubly valuable.

A deep, cool moist subsoil with proper drainage is the ideal soil, and a shaded position is often preferable.

Each 10 Rate

AZALEA amoena (Japanese Azalea). Attractive, purple-red flowers. April-May. Small, bright green leaves in Summer, turning to a rich bronze green in Winter. 2-3 ft.

10 to 12 in	 B. & B	1.00	.90
12 to 15 in	 	1.25	1.00
15 to 18 in	 66	1.75	1.50
18 to 21 in	 	2.50	2.25
21 to 24 in	 	3.00	2.75
2 to 2½ ft.	 	3.5u	
2½ to 3 ft.	 	5.00	

A. hinodegiri (Hinodegiri Azalea). Bright, carminepink flowers. April-May. Leaves larger than amoena and better habit. 3 to 4 ft.

*10 to	12 i	in.	 B. & B.	 1.50	
*12 to	15 i	in.	 66	 2.25	
*15 to	18 i	in.	 66	 3.00	

A. macrantha (Red Salmon Azalea). 3 to 4 ft. A low growing form with single red flowers and shiny leaves. Needs shelter.

10 to 12 in.		B. & B.	 2 .50	2.25
12 to 15 in.	• • • • •	66	 3.00	2.75
15 to 18 in.		"	 3.50	3.25

BERBERIS julianae (Wintergreen Barberry). Fairly rapid growth with broad spined leaves.

15	to 1	18 i	n.	 	B. & B.	 1.50	
18	to 2	24 i	n.	 	46	 2.00	1.80
2	to 2	1/2 1	ľt.	 	66	 2.50	2.25
24	₂ to	3 :	ft	 	64	 3.00	2.70
3	to	4 1	ſt.	 	66	 4.00	
4	to	5 1	ľt.	 	66	 6.00	
5	to	6 1	ft.	 	66	 7.50	

B. ilicifolia (Holly Barberry). Holly-like leaves, persisting until new foliage appears; flowers yellow.

18	to 2	24	in.	 B. & B.		1.25	1.00
2	to 2	1/2	ft.	 46		2.00	1.80
2	½ to	3	ft.	 66	• • • • •	3.00	2.70
3	to	4	ft.	 66		5.00	4.50
4	to	5	ft.	 66		6.00	
5	to	6	ft.	 66		7.00	6.50

	10 Rate
BUXUS sempervirens (Common Box). Slowed and fashioned evergroom warm wasful in	
old-fashioned evergreen, very useful in and colonial plantings. May be shear	
trained into any form desired. 12-15 ft.	
10 to 12 in. bushy B. & B5	0 .40
.12 to 15 in. bushy " 1.0	· ·
	0 1.25
as to all little dubity	0 2.25 0 3.25
· · · · · · · · · · · · · · · · · · ·	0 4.75
B. sempervirens suffruticosa (True Dwarf B	ov) Ev-
cellent for hedges in informal garden, 2	
6 to 8 in. (B. & B.) Per 100. \$40.00 .5	
8 to 10 in. (B. & B.) Per 100, \$70.00 .9	
	0 1.05
12 to 15 in. (B. & B.) 1.4	0 —
COTONEASTER horizontalis (Rock Coto	neaster).
Low-spreading shrub. Small, shiny leave	
red berries. 1 to 1½ ft.	,
18 to 24 in B. & B 1.2	
$2 \ 00 \ 2\% \ 10 \ \dots \ 1.3$	
$2\frac{1}{2}$ to 3 ft " 2.0	0 —
DAPHNE cneorum (Garland Flower). Flo	wers in
small pink clusters, fragrance resembling	_
Arbutus May, June and often again in	summer.
6 to 8 in B. & B	
8 00 10 111	0 5 —
10 to 12 in	
1 00 10 1111	
EUONYMUS radicans acutus (Sharpleaf	
creeper). Habit similar to radicans. Long	, narrow
leaves, purple tinted underneath. 3 years B. & B5	0 .45
•	0 .50
	5 .60
E - liana amin' (Clara Winton and C	1 . A EL
E. radicans carrieri (Glossy Wintercreeper). 3 Large shiny leaves. Fast growing.	to 4 It.
2 years B. & B5	0 .40
·	- 10 - 12
E. radicans coloratus (Purple Wintercreeper) ft. Good for ground cover in shade.	. 4 to 6
3 years B. & B5	0
E radione veretur (Dieloof Winteresener)	Ctuona
E. radicans vegetus (Bigleaf Wintercreeper) growing, shrubby vine. Handsome roun	
leaf. Abundant scarlet fruit.	u 610011
3 years B. & B5	0 —
4 years "7	5 —
E. patens (Spreading Euonymus). 8 to 10 ft	Glossy
leaves, orange fruits which stay on almo	
spring.	
2 to 3 ft B. & B 1.2	
3 to 4 ft " 2.0	
5 to 6 ft " 4.0	U —

20020 2000 2		
F	Each 1	0 Rate
HEDERA helix (English Ivy). Evergr	een, cl	inging
Medium plants B. & B	.35	.30
Strong plants "	.50	.45
Extra strong plants "	.80	.75
ILEX crenata (Japanese Holly). Rapid	growing	ever-
green shrub. Glossy, dark green I fruit. Grows to 6 to 8 ft.		
15 to 18 in B. & B	1.25	
18 to 24 in "	2.00	1.80
2 to 2½ ft "	2.50	2.25
2½ to 3 ft "	3.50	3.10
3 to 3½ ft "	4.25	4.00
3½ to 4 ft "	5.00	4.50
2½ to 3 ft. heavy specimens B&B.	4.75	4.25
3 to 3½ ft. heavy specimens B.&B.	6.00	5.40
3½ to 4 ft. heavy specimens B.&B.	7.50	6.75
4 to 5 ft B. & B	8.50	7.75
5 to 6 ft "	10.00	
6 to 7 ft "	15.00	
I. crenata microphylla (Little Japanese	Holly)	Fiven
the smallest plant shows inherent of		
sturdiness. Ideal for hedge.		A MILE
15 to 18 in B. & B	1.50	1.35
18 to 24 in "	2.00	1.80
2 to 2½ ft "	3.50	3.25
2½ to 3 ft "	5.00	
I. convexa (bullata) Convexed leaved	holly.	Makes
a distinctive specimen.		
15 to 18 in B. & B	2.25	
18 to 24 in "	2.75	2.50
2 to 2½ ft "	4.00	3.60
2½ to 3 ft "	5.50	5.00
3 to 3½ ft "	7.00	6.30
3½ to 4 ft "	9.00	8.10
4 to 5 ft "	11.00	
Y alakas (Yarkhaman) Passas amamina amamina	ale em a le ca	Chinr
I. glabra (Inkberry). Dense growing a dark green leaves. Does well in sha		
12 to 15 in B. & B	1.25	1.00
15 to 18 in "	2.00	1.80
18 to 24 in "	3.00	
2 to 2½ ft "	4.00	
2½ to 3 ft "	5.00	
3 to 3½ ft "	6.00	
3½ to 4 ft "		6.75
4 to 5 ft "	9.00	
5 to 6 ft "	10.50	
I. opaca (American Holly). Slow-growin	o tree	spiny
leaves, bright-red berries.		Phry
2 to 3 ft B. & B	3.00	
3 to 4 ft "	5.00	
4 to 5 ft "	7.00	•
5 to 6 ft "	10.00	
6 to 7 ft "	15.00	

ILEX—Continued

	T.	Each 10 Rate		
I. opaca femina. A berry Holly.				
·	D 0- TD	4.00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		4.00 —— 4.50 ——		
$\frac{27}{2}$ to 3 it 3 to 4 ft		6.50 —		
5 10 4 11	* * * * * *	0.50		
KALMIA latifolia . (Mou	ıntain-laurel).	Dark green		
foliage and showy clus Likes shade. Grows t	sters of pink flo	•		
15 to 18 in 1	B. & B	1.50 1.25		
$1\frac{1}{2}$ to 2 ft		2.00 1.80		
2 to 2½ ft		2. 75 2. 40		
$2\frac{1}{2}$ to 3 ft		4.00 3.60		
3 to 3½ ft		5.00 4.50		
3½ to 4 ft	66	7.00 —		
4 to 4½ ft		8.50 —		
4½ to 5 ft	66	10.00		
5 to 6 ft		12.00		
6 to 7 ft		15.00 ——		
with spreading, slended leaves. Rich Autumn June. 3 to 4 ft. 12 to 15 in	er branches. Li color. White f B. & B. " " " " " egon Hollygrape een leaves which low flowers. Ma to 5 ft.	1.25 ————————————————————————————————————		
18 to 24 in	66	1.75 1.50		
2 to 2½ ft	66	2.50 2.25		
2½ to 3 ft		3.50 3.00		
PACHISTIMA canbyi (Ca Resembles a miniatur work or for edging.	e box bush. Us	eful in rock-		
4 to 6 in I		.60 .45		
8 to 10 in	66	.90 —		
10 to 12 in		1.25		
PACHYSANDRA terminalis (Japanese Pachysandra). Evergreen trailing vine. Dark green leaves. Small spikes of whitish flowers in May. Good ground cover in shade where grass will not grow. 6 in. Per 1000 Per 100				

Per 1000 Per 100

Medium plants\$100.00 \$12.00 .20 .15

	Each 10 Rate
PIERIS floribunda (Mountain Androi	
round, dwanf shrub. Dense dark	
masses of white flowers in early	spring. Best in
partial shade. 4 ft.	0.05 0.00
15 to 18 in B. & B	0.00
18 to 24 in " 2 to 2½ ft "	4.00
2 00 272 10	. 4.00 5.00
P. japonica (Japanese Andromeda).	Dense growing
shrub. Foliage rich green, grace	
clusters. Partial shade. May. Gro	
15 to 18 in B. & B	. 2.25 2.00
18 to 24 in "	
2 to 2½ ft "	
2½ to 3 ft "	
3 10 3 1/2 16	
3½ to 4 ft "	7.75 7.50
YUCCA filamentosa (Common Yucca). Long narrow
leaves. Many creamy flowers on	= :
June. 2 to 3 ft.	
Medium B. & B	50 .40
Strong plants "	1.00 .90
Extra strong plants "	1.50 1.40
RHODODENDRON	
Rhododendron carolinianum (Carol	
dron). Compact, bushy shrub. Bri	ght pink flowers.
May-June. 4 to 6 ft.	
* 15 to 18 in B. & B	
* 18 to 24 In "	
Z 00 Z 72 10	
* 2½ to 3 ft "	5.00
R. catawbiense (Catawba Rhododendr	on) Large deen
rose flowers. May-June, 6 to 9 f	-
2 to 2½ ft B. & B	
made a made	
2½ to 3 ft " 3 to 4 ft "	
R. maximum (Rosebay Rhododendron	
leaves with abundant white to li	
in June. 8 to 12 ft. Nursery gro	
2 to 2½ ft B. & B 2½ to 3 ft "	
2½ to 3 ft " 3 to 3½ ft "	
3½ to 4 ft "	
4 to 5 ft "	
5 to 6 ft "	
6 to 7 ft "	. 12.00
HYBRID RHODODENDR	ONS
Hybrid Rhododendrons. They are p	articularly cele-
brated for their very large cluste	ers of handsome
flowers and clear color. Can fu	
of pink, lavender, white and crim	
* 1½ to 2 ft B. & B	
* 2 to 2½ ft "	
* 2½ W 3 IV	
* 3 to 3½ ft "	. 9.00 —

32 SWAN RIVER NURSERY, Patchogue, N. Y.

TEUCRIUM chamaedrys. Rock garden shrub. deep green foliage—rose purple flowers.	Glossy
6 to 8 in B. & B25	.20
9 to 12 in "	.30
12 to 15 in "45	.40
VINCOR minor (Periwinkle). Ground cover. green foliage. Does best in shade, also well in sun.	
	Per 100 .09
B. & B.—Balled and Burlapped.	



bark

4.75

5.00

7.00

9.00

Deciduous Trees

Nothing can be planted which will grow so well and with so little attention and care as trees. The initial cost is small and paid for many times over by the beauty, pleasure and satisfaction which bring.

Our collection includes trees adapted for all locations, climates and soils.

Each 10 Rate ACER circinatum (Vine Maple). Small shrubby tree having brilliant fall coloring and red fruit. to 4 ft. 2.00 A. dasycarpum (Silver Maple). Rapid growing, graceful, pendulous branches. Leaves silvery underneath. 60 to 80 ft. 12 to 16 ft., 1½ to 2 in. 3.00 2.75 2½ to 2¾ in. 3.50 4.50 2¾ to 3 in. to 3½ in. 3 6.50in. 3½ to 4 9.00 to 4½ in. 12.00 A. ginnala (Amur Maple). Shrubby tree to 10 or 12 ft. Graceful and valuable for bright autumn foliage. 6 ft. 2.00 5 to to 8 ft. 2.75 3.00 to 10 ft. 4.50 4.25 8 to 12 ft. 5.50 5.25 10 to 14 ft. 7.00 to 16 ft. 10.00 14 to 18 ft. 16 15.00 A. negundo (Box Elder). Rapid growing tree. Medium height. to 8 ft. 1.00 .85 to 10 ft. 1.50 1.25

Pennsylvanicum (Striped Maple). Green

 $1\frac{1}{2}$ to 2 in. cal.

2 to 2½ in.

2½ to 3 in.

A.

striped white.

ACER—Continued

	ACER—Continued		
		Each	10 Rate
	pletamaides (Newway Monle) Freell		
A.	platanoides (Norway Maple). Excell forming a round, symmetrical head		
	12 to 14 ft., 1½ to 1½ in	2.50	
	14 to 16 ft., 1½ to 1¾ in 1¾ to 2 in	3.00	
	1¾ to 2 in 2 to 2¼ in	4.00 4.50	
	$2^{\frac{1}{4}}$ to $2^{\frac{1}{2}}$ in	5.00	
	2½ to 3 in	7.50	
	3 to 3½ in	10.00	9.00
	3½ to 4 in	14.00	12.50
	4 to 4½ in	18.00	16.00
	4½ to 5 in	22.00	20.00
	5 to 6 in	35.00	32.50
	6 to 7 in	50.00	
	7 to 8 in	70.00	
	8 to 10 in	85.00	
	10 to 12 in	100.00	***************************************
	12 to 14 in	125.00	
A.	platanoides specimen trees.		
	2½ to 3 in. cal	11 95	10.20
	3 to 3½ in. cal	11.25 15.00	10.30 13.50
	3½ to 4 in. cal.	21.00	
	4 to 4½ in. cal.	27.00	
	4½ to 5 in. cal.	33.00	29.70
A.	platanoides argenta variegata (Varies Somewhat slower growth than the have a silvery variegation. 40 to 6 * 6 to 8 ft. * 8 to 10 ft. * 2 to 2½ in. cal.	e type.	Leaves
A.	platanoides pyramidalis. Pyramidal I 6 to 7 ft	Norway 2.00	Maple.
A.	platanoides reitenbachi (Reitenbach Maple). Leaves purple. Brilliant	_	
	50 to 75 ft.		
	3½ to 4 in	21.00	
	4 to 4½ in	27.00	
	4½ to 5 in	33.00	
	5 to 6 in	40.00	
A	platanoides schwedleri (Schwedleri	Pumle	-leaved
	Maple). Leaves a bronzy-purple in	-	
	ing to green in midsummer. 50 to		, , , , , , , , , , , , , , , , , , , ,
	12 to 14 ft., 1¾ to 2 in	5.00	4.50
	2 to 2 ¹ / ₄ in	6.00	5.50
	$2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.00	6.50
	$2\frac{1}{2}$ to 3 in	10.00	9.00
	3 to 3½ in	15.00	12.50
	$3\frac{1}{2}$ to 4 in	20.00	17.00
	4 to 4½ in	25.00	
	4½ to 5 in	30.00	

ACER—Continued

Each 10 Rate

A. platanoides spaethi (Spaeth Pink-leaved Maple). Leaves slightly smaller than Norway Maple. Purple-pink. 40 to 60 ft.

10 to 12 ft.,	*13/4	to 2	in	7.50	
	*2	to 21/2	in	10.00	
			in	12.00	
	*3	to 31/2	in	15.00	
	*31/2	to 4	in	20.00	

A. pseudoplatanus (Sycamore Maple). Large, vigorous growing tree. Symmetrical rounded head. 50 to 75 ft.

*10 to 14 ft.,	1% to	2	in.		4.50	3.75
	2 to	21/2	in.		6.00	5.40
	2½ to	3	in.	• • • • •	7.50	7.25
	3 to	31/2	in.		9.50	9.25
	3½ to	4	in.		12.50	
	4 to	41/2	in.		18.00	
	4½ to	5	in.		20.00	

A. rubrum (Red Maple). Large tree with dense foliage. Scarlet flowers in early Spring. Brilliant Autumn coloring. Will grow in moist place. 59 to 75 ft.

				11/4	to	1½	in.	 3.00	2.75
				11/2	to	13/4	in.	 4.00	3.50
				1%	to	2	in.	 6.00	5.00
12	to	16	ft.,	2	to	21/2	in.	 7.50	6.50
				21/2	to	3	in.	 9.00	8.00
	•			3	to	31/2	in.	 15.00	14.00
				31/2	to	4	in.	 20.00	19.00
				4	to	5	in.	 30.00	
				5	to	6	in.	 40.00	
				6	to	7	in.	 50.00	
				7	to	8	in.	 60.00	

A. saccharum (Sugar Maple). Good street tree. More erect growth than Norway Maple. 50 to 75 ft.

10	to	12	ft	1½	to	13/4	in.	 3.75	3.50
			•					 4.50	4.25
			•	2				 6.00	5.50
				21/2	to	3	in.	 10.00	9.00
				3	to	31/2	in.	 14.00	13.50
				31/2	to	4	in.	 18.00	
				4	to	41/2	in.	 25.00	
				41/2	to	5	in.	 35.00	
				5	to	6	in.	 50.00	
				6	to	7	in.	 75.00	
				7	to	8	in.	 100.00	
				8	to	10	in.	 125.00	
				10	to	12	in.	 150.00	
				12	to	14	in.	 175.00	

JAPANESE MAPLES

	Each	10 Rate
Acer japonicum aureum (Goldenmoon	Maple	e). Very
slow growing dwarf tree having foliage. 6 to 8 ft.	a good	golden
3½ to 4 ft B. & B	20.00)
4 to 4½ ft "	30.00)
4½ to 5 ft "	40.00	
5 to 6 ft "	50.00	
A. palmatum dissectum (Threadleaf		
tree; slow growth, forming flat rou		
iage is very lacy and attractive. 6		
18 to 24 in B. & B	4.50	4.00
A. palmatum atropurpurcum (Grafts)		
anese Maple). Rich purple leaves		
Makes splendid lawn specimen. 6		
18 to 24 in B. & B 2 to 2½ ft "	2.25 3. 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4.50	
* 3 to 4 ft "	7.00	
* 4 to 5 ft "	9.00	
* 5 to 6 ft "	15.00	
* 6 to 7 ft "	20.00	
* 7 to 8 ft "	30.00	
	to 75.00	
*10 to 12 ft "	90.00	
*12 to 14 ft "	125.00	
A. pal. atrop, nigrum (Dark red Jap Fine for lawn specimen.	anese :	Maple).
18 to 24 in B. & B	2.50	2.25
2 to 2½ ft "	4.00	3.75
2½ to 3 ft "	5.00	
AESCULUS hippocastanum (Horseche	stnut).	Large
symmetrical tree. A profusion of		_
on long panicles in May. 50 to 75	ft.	
2 to 2½ in	6.00	•
$2\frac{1}{2}$ to 3 in	9.00	7.50
3 to 3½ in	15.00	
$3\frac{1}{2}$ to 4 in	18.00	17.50
6 to 7 in	50.00	
7 to 8 in 8 to 10 in	60.00	
10 to 12 in	,75.00 90.00	
A. hippocastanum carnea (Red Horse very fine slow growing tree, with br ers, foliage dark green.		
1½ to 2 in	5.00	
2 to 2½ in	7 .50	
2½ to 3 in	10.00	
AILANTHUS glandulosa (Tree of H		Tour
rapid growing tree. Large leaves. 3 adverse city conditions. 50 to 60 ft.		
1 to 1½ in	1.75	
1½ to 2 in	2.75	
2 to 2½ in	3.50	
2½ to 3 in	4.50	

CATALPA—Continued

CATALFA—Continued		
	Each 1	lo Rate
C. speciosa (Western Catalpa). Tall,	-	
tree. Useful for seashore planting		
6 to 8 ft		.65
8 to 10 ft		1.00
1½ to 1¾ in		
1% to 2 in	2.00	
2 to 2½ in	2.5 0	
$2\frac{1}{2}$ to 3 in	3.00	2.50
3 to 3½ in	4.00	3.60
$3\frac{1}{2}$ to 4 in	7.00	
4 to 5 in	10.00	
5 to 6 in	18.00	
6 to 7 in	25 .00	
	1) ~	
CERCIS canadensis (American Redbu		
Very ornamental with its profusio flowers in early Spring.	n of ros	y pink
5 to 6 ft	2.50	2.00
6 to 8 ft		3.25
8 to 10 ft		0,40
10 to 12 ft		
10 00 12 10	, 1.00	
CONNECTOR (TITLE CONTESTS OF THE CONTESTS OF T		Q
CORNUS florida (White-flowering Dog	-	•
symmetrical tree with spreading of	_	
dant white flowers in early Spring.	Rea per	ries in
Fall. 20 to 25 ft.		
2 to 3 ft B. & B	1.00	
3 to 4 ft "	2.25	
4 to 5 ft "	3.00	2.70
5 to 6 ft "	4.00	3.60
6 to 8 ft., heavy "	7.00	6.30
8 to 10 ft., heavy "	10.00	9.00
10 to 12 ft., heavy "	15.06	14.00
12 to 14 ft., heavy "	20.00	19.00
14 to 16 ft., heavy "	35.00	-
G. G. 13. 1. (Dauble Germanian Day		C
C. florida plena (Doubleflowering Dog		Same
habit as Cornus Florida. Large	donnie	white
flowers.	750	
5 to 6 ft B. & B	7.50	
0 10 111	9.00	
7 to 8 ft "	12.00	
C florida malara (Dad flores)	3) (2: ::	
C. florida rubra (Red-flowering Dogwoo		
type to Cornus florida. Profuse pink		more
persistent than the white. 15 to 20		1.05
2 to 3 ft B. & B	1.50	1.35
5 10 4 10	3.00	2.70
4 10 0 10	4.00	3.75
0 00 0 10	6.50	6.00
0 00 1 10	9.00	8.50
/ · 00 O I b	12.00	
0 00 10 10	18.00	
10 00 12 10	25.00	
14 to 16 ft "	30.00	

SWA	N RIVER	NURSERI,	Faciliog	ue, IV.	1. 39
	•		T.	Cach 10	Poto
CTD A TO A TO	CTTC	· (@i			
		rier (Carrie) d white. Spr			norn).
_				_	
3				2.25	
*2	to 5 ft		• • • • • •	2.50	
C coccin	ea (Thick	et Hawthorn	Small	tree to	15 or
-	* '	y bright gree	· · · ·		
		B. & B.		2.00	
5	to 6 ft			3.00	
6	to 8 ft			4.00	
8	to 10 ft			6.00	5.40
10	to 12 ft		• • • • •	9.00	
12	to 14 ft		• • • • •	12.00	
C anydat	a (Washin	erton Thorn)	White fl	owere in	Morr
		gton Thorn). its which sta			lway
					0.05
3				2.50	2.25
4 5				$\frac{4.00}{5.00}$	3.75
6		• • • • • • • • • • • • • • • • • • • •		$\frac{3.00}{7.50}$	
U	W 0 10	•••••••	• • • • • •	1.00	
C. crusg	alli (Cocks	spur Thorn).	Has shir	ny rich	green
		of white flow			
Good	d hedge.				
3	to 4 ft			2.50	2.25
4				4.00	
5				5.00	
6				7.50	
0 0	ntha (Engi	ligh Trowthow	n) Omell	alow or	onrin a
_	_	lish Hawthor ented, white f		_	_
	: 12 to 15	•	10 11 01 15, 10	JIIO W CU	oy rea
4		B. & B		2.00	
5	to 6 ft			3.00	-
6	to 8 ft			5.00	
8	to 10 ft			7.50	
12	to 14 ft		* * * * * *	15.00	
~				~ 1.4	
	-	idens (Pauls			
		int showy sca		2.50	
4 5		B. & B.		$\frac{2.50}{3.50}$	$\frac{2.25}{3.00}$
5	to 8 ft.			5.00	
8	to 10 ft			7.50	4.00

		spreading ty	pe, white	e flower	s and
red :					
4				2.25	
5	to 6 ft	• • • • • • • • • • • • •	• • • • • •	3.50	
FACTIC	americana	(American]	Reach) 1	Targe er	maa d_
		th gray bark			
	inter. 80		TO CODOCT	JALA CAUVI	
''		avy specimen	s. B.&B.	10.00	
		avy specimen	•	18.00	
		avy specimen		25.00	
	•	avy specimen	•	35.00	
		avy specimen		60.00	
*16 t	o 18 ft., He	avy specimen	s, B.&B.	90.00	

FAGUS—Continued

	Each 10 Rate
F. sylvatica (European Beech).	
close to the ground. Ret	ains leaves nearly all
Winter. 40 to 50 ft.	4.00
4 to 5 ft B. & B	
5 to 6 ft " 6 to 8 ft "	6.00 4.50 9.00 7.50
8 to 10 ft "	9.00 7.50 12.00 10.00
10 to 12 ft "	15.00
12 to 14 ft "	18.00 —
14 to 16 ft "	22.00 —
16 to 18 ft "	28.00 ——
18 to 20 ft "	35.00 ——
F. sylvatica pendula (Weeping	Beech). A sturdy, pic-
turesque tree with droop	
nearly to the ground. Lu	strous green leaves in
masses. 25 to 30 ft.	
* 4 to 5 ft B. & F	
* 5 to 6 ft " *12 to 14 ft "	7.50 ——
*14 to 16 ft "	200.00 —— 250.00 ——
*16 to 18 ft "	300.00 ——
10 10 10 10	
T 1 4	land I manth was
F. sylvatica purpurea (Purple	
branching, symmetrical tre	
dish-purple leaves. 40 to 5 * 8 to 10 ft B. & B	
*10 to 12 ft "	45.00
*12 to 14 ft "	60.00
*14 to 16 ft., specimens "	75.00 ——
*16 to 18 ft., specimens "	90.00
*18 to 20 ft., specimens "	125.00 ——
	•
F. sylvatica Riversi (River's E	uropean Beech). Com-
pact of habit, with dark p	
6 to 7 ft B. & E	
7 to 8 ft "	15.00 ——
8 to 10 ft "	18.00 —
	`
F. sylvatica rosomarginata (Re	ose-pink Beech). Sym-
metrical tree. Foliage ha	is unusually rosy-pink
variegations. 30 to 40 ft.	
* 8 to 10 ft B. & F	
*10 to 12 ft "	50.00
12 10 14 11	75.00 —
*14 to 16 ft " *16 to 20 ft "	85.00 —— 125.00 ——
10 10 20 10	125.00
FRAXINUS americana (White	
	raight trunk. Good in
moist soils. 70 to 80 ft. 2½ to 3 in	6.00 —
$\frac{272}{3}$ to $\frac{31}{2}$ in	
3½ to 4 in	
4 to 5 in	

Each 10 Rate

GI	NKGO biloba (Maidenhair Tree). Upright tree wi	th
	attractive open, irregular head. Resists insects as	nd
,	unfavorable city conditions. 50 to 75 ft.	

			•						
* 10	to	12	ft., 1½	to	13/4	in.		7.00	6.50
			*13/4	to	2	in.		9.00	8.50
			*2	to	$2\frac{1}{4}$	in.		12.00	10.80
			*21/4	to	$2\frac{1}{2}$	in.		15.00	13.50
			*21/2	to	3	in.		18.00	16.20
			*3	to	$3\frac{1}{2}$	in.		21.00	18.90
			*4	to	5	in.	• • • • •	35.00	31.50

GLEDITSIA triacanthos (Common Honeylocust). Tall, thorny tree. Very fragrant, white flowers. May. Thrives in gravelly soil. 60 to 70 ft.

6	to	8	ft.					 •	2.00	1.50
8	to	10	ft.						2.50	2.25
									6.50	5.00
									7.50	6.00
				$2\frac{1}{4}$	to	21/2	in.		9.00	7.50
				$2\frac{1}{2}$	to	3	in.	 •	12.00	
				3	to	31/2	in.	 •	18.00	

GYMNOCLADUS dioica (Kentucky Coffeetree). Light, blue-green foliage of slow growth.

2	to $2\frac{1}{2}$	in	7.50	7.00
		in		8.50
3	to $3\frac{1}{2}$	in	12.00	
$3\frac{1}{2}$	to 4	in	15.00	
4	to 5	in	22.50	
6	to 7	in	30.00	

HALESIA tetraptera (Great Silverbell). Small tree or shrub. Very attractive white flowers.

2	to	3 ft	.60	.50
		4 ft	.80	.75

KOELREUTERIA paniculata (Varnish Tree). Small tree of irregular outline. Produces a mass of bright yellow flowers. June-July. 25 to 30 ft.

5	to 6	ft.	 2.25	
6	to 8	ft.	 3.00	
8	to 10	ft.	 4.00	
10	to 12	ft.	 5.00	
12	to 14	ft.	 7.50	

LARIX leptolepis (Japanese Larch). A very fast growing tree. Extremely attractive, light green foliage.

5	to	6 ft.	 B. & B.	 2.75	2.50
				 7.50	6.00
8	to 1	0 ft.	 "	 10.00	7.50
10	to 1	2 ft.	 "	 15.00	12.50
12	to 1	4 ft.	 46	 20.00	18.00
14	to 1	16 ft.	 44	 25.00	
16	to 1	18 ft.	 44	 30.00	

1	Each 1	Rate
LIQUIDAMBAR styraciflua (Sweet-gu		
having corky bark and glossy, star-		
Attractive Autumn coloring. Thr		
places. 50 to 60 ft.		
1 to 1½ in	4.50	4.00
1½ to 1¾ in	5.50	5.00
1¾ to 2 in	6.25	
2 to $2\frac{1}{4}$ in	7.00	
2½ to 2½ in	8.00	
2½ to 3 in	15.00	
3 to $3\frac{1}{2}$ in $3\frac{1}{2}$ to 4 in	20.00	
3 1/2 00 4 111	30.00	
LIRIODENDRON tulipifera (Tulip tre	e). St	raight
rapid growing tree. Tulip-like, pale ; June-July. 70 to 80 ft.	yellow f	lowers.
6 to 8 ft	2.00	1.80
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	
1¾ to 2 in	5.00	4.50
2 to $2\frac{1}{2}$ in	7.50	6.00
MAGNOLIA soulangeana (Saucer Mag pink and white flowers in April.	nolia).	Large
*2 to 2½ ft. B. & B.	2.25	
*2½ to 3 ft. "	3.00	***************************************
*3 to 3½ ft., "	4.00	
*3½ to 4 ft. "	5.00	4.50
*4 to 5 ft. "	6.00	5.50
5 60 0 Tu.,		8.10
*6 to 7 ft., " *7 to 8 ft., "	12.00 18.00	
1 W 8 IU.,	10.00	11.50
M. stellata (Star Magnolia). Spreading	habit	semi-
double white flowers. One of the b		
*3 to 4 ft. B. & B.		
*4 to 5 ft "	10.00	
*5 to 6 ft. "	14.00	
MALUS aldenhamensis. A variety popul Reddish cast to foliage.	ar in E	urope.
5 to 6 ft	4.00	
6 to 8 ft	5.00	4.50
	•	
M. atrosanguinea (Carmine Crab). Smal	1 tree h	aving
a profusion of bright red blossoms.		
4 to 5 ft	2.00	
5 to 6 ft		3.60
6 to 8 ftB.&B	7.50	6.75
8 to 10 ft. spec. "	10.00	9.00
M. coronarius (Wild Sweet Crab). Francisco pink bloom.	ragrant	light
4 to 5 ft	2.00	
5 to 6 ft	3.50	3.00
6 to 8 ft B. & B	6.00	5.50
8 to 10 ft "	8.00	

MALUS—Continued

MALUS—Continued	
Each 10	Rate
M. eleyi (Eley Crab). This variety has purple for and bright purple flowers. Carmine red fruit	
4 to 5 ft 2.00	-
5 to 6 ft 3.00	2.70
6 to 8 ft., B. & B 5.00	4.50
8 to 10 ft. " 7.50 to 15.00	
M. floribunda (Japanese Flowering Crab). S white flowers which are pink in bud, cover tree. Fruit attractive in Fall. Blossoms	r the
Spring, 12 to 15 ft.	cailly
4 to 5 ft 2.00	-
5 to 6 ft 4.00	3.60
6 to 8 ft B. & B 6.00	5.50
8 to 10 ft " 7.50 to 15.00	
M. ioensis plena (Bechtel Crab). Fragrant, double blossoms. Late Spring. 12 to 15 ft.	pink
4 to 5 ft 2.50	2.25
5 to 6 ft 3.50	3.30
6 to 8 ft B. & B 5.00	4.50
8 to 10 ft., specimens B. & B 7.50	
M. neidzwetzkyana (Red Vein Crab). Attractive pink flowers.	deep
5 to 6 ft 2.50	2.25
6 to 8 ft B. & B 3.50	3.30
8 to 10 ft., specimens, B. & B 7.50	6.75
10 to 12 ft. specimens, B. & B 10.00	
M. sargenti (Sargent Crab). Low growing form rigid spreading branches. Flowers freely.	with
4 to 5 ft., B.&B 4.00 5 to 6 ft., " 5.00	
5 to 6 ft., " 5.00 6 to 8 ft., " 6.00	,
0.00	
M. scheideckeri (Scheideckeri Crab). Double deep flowers. Large yellow fruit. 10 to 15 ft.	pink
4 to 5 ft 2.00	1.80
5 to 6 ft 3.00	2.75
6 to 8 ft 5.00	4.50
8 to 10 ft., specimens 7.50	7.00
10 to 12 ft., specimens 10.00	
MORUS alba pendula (Teas Weeping Mulb Small weeping tree with dense growing bra drooping to the ground. 6 to 10 ft.	
4 to 6 ft. stems, 5-yr. head 4.00	******
6-yr. head 5.00	*********
7-yr. head 7.00	
8-yr. head 9.00	0.50
10-yr. head 10.00	9.50

	7 1-	10 D
		10 Rate
OXYDENDRON arboreum. (Sorrel tree 30-35 ft. Throughout the year a h		
with thick, shiny leaves which turn	anuso:	in Fall
and remain colored until Winter.	1 104	111 1 0/11
	1.25	1.00
3 to 4 ft	1.75	1.50
± (U 0 1b	2.50	2.25
5 to 6 ft "	3.50	
6 to 8 ft "	5.00	4.50
PLATANUS orientalis (Oriental Plane). ing tree with wide spreading, symmetic symmetries for city planting as	netrica	l head.
both insect pests and city conditions		
*10 to 12 ft., 1½ to 1¾ in	4.00	
*1¾ to 2 in	6.00	
*2 to $2\frac{1}{2}$ in	10.00	
*2½ to 3 in	15.00	
*3 to 3½ in	20.00	
*3½ to 4 in	30.00	
*4 to 5 in	40.00	
*5 to 6 in POPULUS carolinianum (Carolina Pop	60.00 olar).	Thrives
fine near water on sea shore.		
6 to 8 ft	1.00	
8 to 10 ft		1.35
1 to 1½ in. Cal 1½ to 2 in. Cal	2.00 3.00	1.50
172 to 2 III. Cai	3.00	
P. nigra italica (Lombardy Poplar).		
upright tree, branching to the ground		
6 to 8 ft	1.00	
8 to 10 ft	1.50	
10 to 12 ft	$\frac{2.00}{3.00}$	
12 00 14 10	, 3.00	
PRUNUS blirsana. Long slender branches ple tinted foliage. Semi-double flow blossom pink.	vers o	fapple
5 to 6 ft., B. & B	3.00 4.00	
P. pissardi (Purple-leaf Plum). Small to purple leaves and small, pinkish-w 12 to 15 ft.		
8 to 10 ft B. & B	7.00	
10 to 12 ft "	10.00	
12 to 14 ft "	15.00	
P. Newport. (Improved Purple-Leaf Plum foliage retains rich purple color all flowers.		
5 to 6 ft., B.&B	3.00	
6 to 7 ft., "	4.00	
P. amanogawa (Upright Cherry). 20 to tinct form with a Lombardy Pop		
growth. Semi-double pink flowers.		J. O.
4 to 5 ft., B. & B	3.00	2.50
5 to 6 ft., "	4.00	3.60
6 to 7 ft., "	6.00	

Each 10 Rate

PRUNUS—Continued

	PRUNUS—Continued		
P.	autumnalis (Autumn Flowering Hig Small tree, semi-double pink blossoms October or early Spring. 4 to 5 ft., B. & B		
P.	Beni-Higan. 8 to 10 ft., specimens, B. & B	\$25.00	
P.	Fugenso (Kofugen) (James H. Veitch). flowering Japanese Cherry.	Double	pink
	5 to 6 ft., Heavy B. & B	4.00	
	6 to 7 ft., Heavy B. & B	6.00	*****
	7 to 8 ft., Heavy B. & B	9.00	
	8 to 10 ft., Heavy B. & B	12.00	
	0 00 10 10., 11cavy B. & B	12.00	
P.	Kwanzan (Kanzan). Pink flowerin	ng Jap	anese
	4 to 5 ft	3.00	2.50
	5 to 6 ft	4.00	3.50
	6 to 7 ft., Heavy B. & B	6.00	5.50
the state of the s	7 to 8 ft., Heavy B. & B		8.10
	8 to 10 ft., specimens, hvy. B. & B.	12.00	
	10 to 12 ft., specimens, hvy. B.& B.	16.00	
	10 00 14 10, opcomicals, 110, 2.00 2.	10.00	
	Mount Fuji (Shirotae). 30 ft. Double in great profusion. 5 to 6 ft., B.&B	white fl 4.00 6.00 9.00	3.50 5.50
	0 1 10 01 //	12.00	
	8 to 10 ft., "	12.00	11.00
P.	Naden (Takasago). Semi-double rose White flowers.	pink	buds.
	4 to 5 ft., B. & B	3.50	
	5 to 6 ft., "	4.00	
	0 00 1 10.,	6.00	
	7 to 8 ft., "	9.00	
P.	Yoshino (Also called Yedoensis). Sing 3 to 4 ft., B. & B	gle pale 3.00	pink.
	4 to 5 ft., "	3.50	3.25
	5 to 6 ft., "	4.00	3.75
P.			
	Single flowering pink blossoms.		
	· · · · · · · · · · · · · · · · · · ·	5.00	4.50
	2 to $2\frac{1}{2}$ in. cal. "	7.50	6.75
	2½ to 3 in. cal. "	10.00	
	3 to 3½ in. cal. "	15.00	
	3½ to 4 in. cal. "	20.00	
	4 to 5 in. cal. "	50.00	
	5 to 6 in. cal. "	75.00	
	0 00 0 III. 041.	. 5.00	_

PRUNUS—Continued

					13 1. ·	10 70 4
						10 Rate
P. sub. pendula fl						
Cherry). Four				p of k	ranches	covered
with double	• .			T	72 0 50	
	1	to 1½		B. &		
		to 2	in.,	44	4.50	
		to 2½	•	66	6.00 9.00	
		to 3 to 3 ½	in.,	66	20.00	
		to 4	-	46	35.00	
		to 5	•	44	50.00	
		to 6	in.,	44-	75.00	
	•		****,		10.00	
THE TA 4	(0		. **-		Class a 22	
PTELIA trifoliata			1 Ho	puree)	. Sman,	rouna-
headed tree to 5 to 6 ft.					1 00	.75
	-					
6 to 8 ft.	• • • •	• • • • •	• • • •	• • • • •	. 1.20	1.00
QUERCUS coccin	ea (Scarle	t Oa	k). D	eeply cut	leaves,
beautiful Aut	umn	color	ing.	Tall	growing.	
	11/4	to 11/2	in.		. 6.00	5.40
	. –	to 1%	-			
		to 2				
	2					12.60
	. –	to 3				-
	3	to 3½	in.		20.00	***************************************
Q. palustris (Pin	Oal	c). Syr	nme	trical,	pyramid	al tree
with graceful,						
					to 80 ft.	
10 to 12 ft.,	*11/4	to 11/2	in.		. 3.50	3.00
	*1½	to 1%	in.		. 4.50	4.00
	*1%	to 2	in.		. 6.00	5.40
	*2	to 21/2	in.		. 8.00	7.50
	*2½	to 3	in.			11.50
	*3	to 31/2				16.20
	*31/2			• • • • •		22.50
	*4	to 5		• • • • •		
	*5	to 6		• • • • •		
	*6	to 7	_	• • • •		-
	*7	to 8		• • • • •		
	*8	to 10	ın.	• • • •	. 150.00	-
					,	
Q. rubra (Red Oal						h; rich
Autumn color	ing i	in gree	en ai	nd red	ls.	
		to 11/2				4.50
		to 1%				6.00
		to 2		• • • • •		7.20
		to 21/2				9.00
		to 3		• • • • •		10.80
	*3			• • • • •		
	. –	to 4		• • • • •		
	4	to 5	ın.	• • • • • •	35.00	
ROBINA hispida	(Ros	e-acac	ia).	Rosy	pink, att	ractive
flowers.						
8 to 10 ft.	• • • •		• • • • •	• • • • •	10.00	9.50

						Each	10 Rate
SALIX Babylonic	a. (F	ta.h	vloi	n W	eening		
graceful droop							
soil, but part							
50 to 60 ft.							
*6 to 8 ft.							
*8 to 10 ft.	• • • •	• • •	• • •	• • • •	• • • • • •	. 4.50)
S. elegantissima	(Th	unl	^777	Wo	nina	Mrillow)	337440
spreading tree							
			-	_			
*8 to 10 ft.							
*10 to 12 ft.	• • • •	• • •	• • •	• • • •	• • • • •	. 0.00)
S. pentandra (Lau	ral 1	(x <i>r</i> i1	low) SI	hinina	mich das	rk groon
leaves; valuab							r green
icaves, varian					_	_)
					• • • • •		
	4					. 15.00	
	Э	to	O	ın.	cai	. 20.00	
A A TO TO TO	. ,	_					
SORBUS aucupar							
dium size tre							berries.
Good border of							
					• • • • • •		
8 to 9 ft.						. 2.25	
						. 3.00	
,					• • • •		
	13/4				• • • • •		
	2		21/2	_	• • • •		
	21/2				• • • •		
	3		31/2		• • • • •		
	31/2	_			• • • •		
b	4	to			• • • • •		
	5	to	6	in.	• • • •	. 25.00)
TAXODIUM disti	chui	n	(Ba	ld C	ypres	s). 70 t	o 80 ft.
Peculiarly soft							
semblance to	the	L	arcl	ı. 7	Chrive	s in a	swampy
home.							
6 to 8 ft		. E	3. &	z B.		. 10.00	
8 to 10 ft.				6			
10 to 12 ft.		• •	6	6		20.00	
TILIA americana	(An	າຍໜ້	icar	n Tái	nden)	Broad	round-
topped tree. I							
lawn planting.							
	13/4					4.00	
	2						
,	21/2		3				
	3				• • • • • •		
	31/2						
	4		5		• • • • • •		
	5		6				
	6	to			• • • • •		
1	7	to	8				
	8	to	12	in.		60.00	-

TILIA—Continued

1	Each	10 Rate
T. cordata (Littleleaf European Lin growing, symmetrical tree. Small Fragrant greenish blossoms. 50 to 6	, thin 60 ft.	leaves.
2 to 2½ in	7.00	6.30
$2\frac{1}{2}$ to 3 in	10.00	9.00
3 to 3½ in	18.00	16.20
Specimen, 3½ to 4 in	22.50	
Specimen, 4 to 5 in	35.00	
Specimen, 8 to 10 in	60.00	
T. platyphyllos (Bigleaf European Linde healthy type of tree, often formally contact the contact of the contact that the contact is a second to the contact that the contact tha		robust,
8 to 10 ft., 1½ to 1½ in	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	
1% to 2 in	5.50	
2 to 2½ in	6.50	
T. platyphyllos pyramidalis (Pyramidal I	Linden).
1½ to 1¾ in	7.50	•
$1\frac{3}{4}$ to 2 in	10.00	
2 to $2\frac{1}{4}$ in	12.00	************
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	15.00	•
T. vulgaris (European Linden). Vigorous Compact, symmetrical tree. Fragra June. 60 to 70 ft.	nt flo	ring. wers in
6 to 8 ft	2.50	3.00
8 to 10 ft	3.50	4.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00	5.40
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	
1¾ to 2 in	7.50	6.75
$\frac{2}{2}$ to $\frac{2}{2}$ in	9.00	8.00
$2\frac{1}{2}$ to 3 in	14.00	12.60
3 to 3½ in	18.00	17.50
$3\frac{1}{2}$ to 4 in	22.00	21.50
4 to 4½ in	30.00	29.50
$4\frac{1}{2}$ to 5 in	40.00	39.50
*Spemicen, 5 to 5½ in	45.00	44.50
*Specimen, 5½ to 6 in	50.00	
*Specimen, 6 to 7 in	55.00	
*Specimen, 7 to 8 in	75.00	· · · · · · · · · · · · · · · · · · ·
*Specimen, 8 to 10 in	125.00	
*Specimen, 10 to 12 in	175.00	
*Specimen, 12 to 14 in ULMUS americana (American Elm). Ta	200.00	notrical
tree, gracefully drooping. Good stree 100 ft.	et tree.	80 to
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75
1½ to 1¾ in	2.50	2.40
1¾ to 2 in	3.50	3.25
$\frac{2}{2}$ to $\frac{2}{2}$ in	4.50	4.25
2½ to 3 in	6.50	6.00
3 to 3½ in	9.00	8.50
$3\frac{1}{2}$ to 4 in	12.00	10.80
4 to 5 in	25.00	
5 to 6 in	40.00	• • • • • • • • • • • • • • • • • • • •
6 to 7 in	50. 00	

ULMUS—Continued

Each 10 Rate

U. Americana Moline (Moline Elm). New variety. Good foliage and symmetrical growth.

2	to 21/4	in.	 5.00	4.50
21/4	to 2½	in.	 6.00	5.00
21/2	to 3	in.	 8.00	7.50
3	to 3½	in.	 10.00	9.50
31/2	to 4	in.	 15.00	14.50
4	to 5	in.	 20.00	

U. Campestris (English Elm). Round topped, densely branched tree.

to	$2\frac{1}{2}$	in.		8.00	7.50
to	3	in.		11.00	10.50
to	$3\frac{1}{2}$	in.		15.00	14.50
to	4	in.		20.00	19.50
to	5	in.		23.00	
to	6	in.		28.00	-
	to to to to	to 3 to 3½ to 4 to 5	to 3 in. to 3½ in. to 4 in. to 5 in.	to 3 in to 3½ in to 4 in to 5 in	to 3½ in 15.00 to 4 in 20.00

U. pumila (Asiatic Elm). A vigorous grower of good habit. Forms dense symmetrical head.

3	to	31/2	in.		10.00	9.00
31/2	to	4	in.		12.00	11.50
4	to	5	in.		15.00	13.50
5	to	6	in.		20.00	19.00
6	to	7	in.	• • • • •	35.00	



Deciduous Shrubs

Hardy, flowering shrubs develop more quickly than any class of trees, and are, therefore, indispensable for filling a new lawn where it is desirable to get something to make a show as quickly as possible.

It is our aim to produce everything in flowering shrubbery that is useful, hardy and worthy of cultivation.

vation.	ruly of	Culti-
	Each 1	0 Rate
ABELIA grandiflora (Glossy Abelia).	Dwarf	shrub.
Glossy green foliage; abundant pink		
bloom continuously from July to fr	ost. 3 to	o 4 ft.
18 to 24 in	\$ 1.00	\$.80
2 to 2½ ft		
2½ to 3 ft		
3 to 4 ft	2.00	1.80
ACANTHODANAY pertanbulum (D	uah A	malia)
ACANTHOPANAX pentaphyllum (B Quick growing shrub, graceful arch		-
dark green foliage. 7 to 8 ft.	mig Dia	nones,
2 to 3 ft	.50	.45
3 to 4 ft	.75	.65
4 to 5 ft		
Transplanted specimens.	.00	.00
5 to 6 ft	1.50	1.35
6 to 8 ft	2.50	
AMELANCHIER canadensis (Downy	Shad	blow).
White flowers in early Spring befo		
pear. 12 to 15 ft.		
18 to 24 in	.70	.60
2 to 3 ft	.90	.80
3 to 4 ft	1.25	
4 to 5 ft	1.50	1.25
ADONY A calcadigation (Ded Chalcade comm)	Dandan	-lamal
ARONIA arbutifolia (Red Chokeberry).	Border	surub,
attractive for its bright red berries.		
2 to 3 ft		.65
3 to 4 ft	1.00	.90
A molomocomo (Diode Oboleohouse) IIIh	ita Aan	ome in
A. melanocarpa (Black Chokeberry). When May and black fruit. 3 to 4 ft.	nte now	ers in
2 to 3 ft	.60	
3 to 4 ft	.90	.80
0 00 10	.00	.00
AZALEA kaempferi (Torch Azalea). C	ronge_r	ot be
pink flowers, in May. 4 to 5 ft.	variec_r	cu w
18 to 24 in	2.75	2.50
2 to 2½ ft	3.50	
2½ to 3 ft	4.25	
3 to 3½ ft	5.50	5.00
3½ to 4 ft	8.00	
4 to 5 ft.	10.00	

5 ft.

10.00

AZALEA—Continued

Dominitor Committee		
	ch 10	
A. hybrids.—Fedora, Louise and Othello		
green. These hybrids have a more i	oushy	habit.
• 18 to 24 in	4.00	3.50
A. mollis (Chinese Azalea). Large, oran flowers. May-June, 4 to 5 ft.	ge and	d red
15 to 18 in	3.00	
18 to 24 in	3.50	
2 to 2½ ft	4.50	
A. mollis J. C. Van Tol.		
* 1½ to 2 ft.	6.00	
* 2 to 2½ ft	7.50	
A. mollis, Louisa Hunewell. Orange-yell	ow sh	ading
to salmon. Very hardy.		
*15 to 18 in	3.00	
*18 to 24 in	4.00	-
A. poukhanensis (Korean Azalea). Single, flowers in May. Very hardy.	purple	e-lilac
15 to 10 to	3.00	2.70
18 to 24 in.	4.00	
2 to 2½ ft	5.50	
2½ to 3 ft	7.00	
·		
A. schlippenbachi (Royal Azalea). Large	oink fl	owers
on purple-brown twigs. Splendid aut		
15 to 18 in	3.00	
18 to 24 in	4.00	
2 to 2½ ft	6.00	
A. yodogawa (Yodogawa Azalea). Doubl flowers, spotted with purple. Profuse to 4 ft.	_	
	2.75	2.50
*18 to 24 in		
	4.50	
NATIVE AZALEAS		
A. arborescens (Sweet Azalea). Fragrant w	hite flo	owers
in June. Autumn foliage, bright red.		
18 to 24 in		
	3.75	3.30
2½ to 3 ft	5.00	
A. calendulacea (Flame Azalea). A mass orange-red blossoms in June. 8 to 10		right
18 to 24 in		2.25
2 to 3 ft	3.50	3.25
3 to 4 ft	4.50	4.25
BENZOIN aestivale (Spicebush). 10 to 12		
yellow, scarlet berries and lovely aut	umm C	OIOI
ing. 18 to 24 in	.40	.35
0 40 2 44	.60	.55
2 to 3 lt		.00

		Each 10	
BI	ERBERIS thunbergi (Japanese Bai		
	hedge plant or for masses; scarlet brilliant Autumn coloring. 4 to 5		and
	* 12 to 15 in Per 100 15.00		.16
	* 15 to 18 in Per 100 18.00		.20
	* 18 to 24 in Per 100 20.00		.30
	* 24 to 30 in Per 100 30.00		
	* 2½ to 3 ft Per 100 40.00	.55	.50
	* 3 to 3½ ft	.75	.60
B.	thunbergi atropurpurea (Purpleleaf J.		
	berry). Similar in habit to the thur	nbergi P	urpie
	foliage all Summer. 4 to 5 ft. 15 to 18 in	.30	.25
	18 to 24 in		.45
	2 to 2½ ft	.75	
	2½ to 3 ft		
	3 to 3½ ft. specimen	1.25	1.00
	3½ to 4 ft	2.00	
~	Alexander of the second of the	• • • • • • • • • • • • • • • • • • • •	
B.	thun. pluriflora erecta (Truehedge C	columnbe	erry).
	Plant Patent No. 110. 18 to 24 in	60	.55
	2 to 2½ ft	.70	.65
	2 00 272 10	.10	.00
B.	vulgaris (European Barberry). Vigor	rous. up	right
~	shrub. Small yellow flowers in Ma		
	fruit in clusters. 7 to 8 ft.		
	2 to 3 ft	.50	-
	3 to 4 ft	.75	
	4 to 5 ft	.90	
	5 to 6 ft	1.25	
RI	DDLEIA Charming. Lavender pink fl	owers hi	oom-
DC	ing throughout late summer and fal		00111-
	Pots		.75
B.		oush). I	Large
	rose-purple flowers.	(me	
	4 to 5 ft	' .75 1.25	
	5 W 0 It	1.20	
D			
D,	davidi veitchiana (Veitch Butterfly)	bush).	Gray
D,	green foliage and long spikes of deep		_
D.			_
D.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft	lilac flo	_
D.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft.	.50 .75	_
Д.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft	lilac flo	_
	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.50 .75 .90	wers.
	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I	.50 .75 .90	wers.
	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.50 .75 .90	wers.
	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower.	.50 .75 .90	wers.
	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower. 3 to 4 ft.	.50 .75 .90 avender	wers.
В.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower. 3 to 4 ft.	.50 .75 .90 avender .75 1.00	wers.
В.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower. 3 to 4 ft. 4 to 5 ft. Ile de France. Fragrant deep violet growing.	.50 .75 .90 avender .75 1.00	wersblue -bree
В.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower. 3 to 4 ft. 4 to 5 ft. Ile de France. Fragrant deep violet growing. 18 to 24 in.	.50 .75 .90 avender .75 1.00	wersblue -ree .50
В.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower. 3 to 4 ft. 4 to 5 ft. Ile de France. Fragrant deep violet growing. 18 to 24 in. 2 to 3 ft.	.50 .75 .90 avender .75 1.00	wers. -blue -ree .50 .60
В.	green foliage and long spikes of deep June to September. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. "Fortune" (Plant Patent No. 206). I flowers. Good cut flower. 3 to 4 ft. 4 to 5 ft. Ile de France. Fragrant deep violet growing. 18 to 24 in.	.50 .75 .90 avender .75 1.00	wersblue -ree .50

	Each	10 Rate
CALYCANTHUS floridus (Sweetsh	rub).	Upright
shrub, good foliage. Reddish-brow		
flowers. June to September. 4 to		
2 to 3 ft		
3 to 4 ft		
4 to 5 ft	. 1.0	0 —
CARAGANA arborescens (Siberian Po	ea-tree)	. 12 ft.
Leaves bright green. Yellow pea f		2.00
4 to 5 ft		0 .55
5 to 6 ft	9	08. 0
6 to 7 ft	. 1.2	5 1.10
7 to 8 ft	. 2.0	0 —
CEPHALANTHUS occidentalis (Butto	anheegh)	Dound
heads of creamy-white flowers.		
likes moisture. 5 to 6 ft.	. Good	ionage,
18 to 24 in	4	0 .35
2 to 3 ft	•	.00
3 to 4 ft		
	36. 11	•
CLETHRA alnifolia (Summersweet)		
shrub, thriving in damp, shady s fragrant white flowers, July-Septe		**
18 to 24 in		
2 to 3 ft		
3 to 4 ft		0
CORNUS alba siberica (Coral Dogwo Vivid red bark. Grows vigorously Birds eat the berries.		
2 to 3 ft		
3 to 4 ft		• • •
4 to 5 ft	9	0 .75
C. alba spaethi (Yellow-leaved Dogwo- green foliage. 12 to 15 ft.		
2 to 3 ft		
3 to 4 ft		_
4 to 5 ft		
5 to 6 ft	. 1.2	5 1.00
C. amomum (Silky Dogwood) 8 to 19	0 ft. (Good for
massing, particularly in swampy a	areas. E	Ias large
silky foliage.		
3 to 4 ft		50 .50
4 to 5 ft		75 .60
6 to 8 ft		00 .80 5 1.00
C. stolonifera (Red Osier Dogwood)		
red bark.		
3 to 4 ft	•	5 .65
4 to 5 ft		
5 to 6 ft		
6 to 8 ft	. 2.0	U —
C. stolonifera flaviramea (Golden twi	g Dogw	ood). A
form of Cornus Stolonifera wit		
branches.		
2 to 3 ft		0
3 to 4 ft	7	9

		1
I	Each 10	Rate
CRATAEGUS, Hawthorn. (See Deciduo	us Tree	s).
•	-	
COTONEASTER dielsiana (Diels Coton	easter)	Slen-
der shrub with spreading and arch		
Red berries in June. 6 to 7 ft.	1116 0100	.1011001
1½ to 2 ft B. & B	.75	.65
· -	1.00	.90
2 to 3 ft " 3 to 4 ft "	1.50	
0 00 1 10	1.00	1.20
C. divaracata Small green polished lea	ives, red	l (egg
shaped) fruit. Graceful habit.		
18 to 24 in	1.75	1.50
2 to 3 ft	2.25	2.00
CYTTO ONLY A demanded (Tillemanian Online	aa) 3.5	n el (111100
CYDONIA japonica (Flowering Quin		
growing shrub, useful in masses or h		18SSES
of scarlet flowers in May. 4 to 5 f		45
1½ to 2 ft	.50	.45
2 to 3 ft	1.00	.90
3 to 4 ft	1.25	
		,
DEUTZIA gracilis (Slender Deutzia).	Dwarf.,	Pure
white flowers cover the plant. May.		
12 to 15 in	.40	.35
15 to 18 in	.50	.45
18 to 24 in	.60	.55
2 to 2½ ft	.75	
D. lemoinei (Lemoine Deutzia) 4 to 5 ft	Large	white
flowers, produced in amazing abunda	0	
18 to 24 in	.40	3.60
2 to 3 ft	.60	5.50
3 to 4 ft	.90	8.00
,		
D. scabra candidissima (Snowflake Deu	tzia). G	race-
ful, vigorous growing shrub. Double		
in June. 9 to 10 ft.	,,	• ,,
2 to 3 ft	.50	.45
3 to 4 ft	.60	.50
4 to 5 ft	.75	.65
5 to 6 ft	1.00	.90
6 to 7 ft	1.50	1.25
D. scabra crenata fl. pl. (Double Pink De	eutzia).	Blos-
soms—white tinted with pink. June.		
3 to 4 ft	.60	.50
4 to 5 ft	.75	.65
5 to 6 ft	1.00	.90
6 to 7 ft		
	2.00	2.00
D. scabra, Pride of Rochester (Pride of	f Roche	ster)
2 to 3 ft	.50	.40
3 to 4 ft	.60	.50
4 to 5 ft	.75	65
5 to 6 ft	1.00	.90
6 to 8 ft	1.50	
DIERVILLA trifida (Dwarf Bush Honey		Yel-
low mid-summer flowers resembling		
18 to 24 in	.45	

V		10 Rate
ELEAGNUS angustifolia (Russian Olive).		y-green
leaves, silvery flowers, spicy fragrand 18 to 24 in	e. .40	
2 to 3 ft	.60	
ENKIANTHUS campanulata (Redvein B		
Charming ornamental shrub. Abu		
orange flowers in early Spring.		, and a
18 to 24 in B. & B	1.50	
2 to 3 ft "	2.50	
	4.00	
EUONYMUS alatus (Winged Euonymous)		
corky bark. Attractive crimson Autur	nn c	coloring.
Makes fine specimen. 9 to 10 ft. 2 to 3 ft.	.75	.65
3 to 4 ft	1.00	
4 to 5 ft	1.50	1.35
5 to 6 ft	2.50	2.25
5 to 6 ft. specimens (B. & B.)	3.50	
6 to 7 ft. specimens (B. & B.)	5.00	
E. alatus campacta. Dwarf flame euonym	ius,	brilliant
foliage, compact growth.	0.0	
18 to 24 in	.90 1.25	
2½ to 3 ft	1.75	
FORSYTHIA intermedia (Border Forsyt yellow flowers in early Spring before		4.5
fold. 6 to 8 ft.	, 100	705 0
2 to 3 ft	.40	.35
3 to 4 ft	.50	
4 to 5 ft	.78	
5 to 6 ft	$\frac{1.00}{2.00}$	
F. fortunei (Fortune's Forsythia). Archiv	***	
Bright yellow flowers early in Spring. 2 to 3 ft	. 7 1 .4(
3 to 4 ft	.50	
4 to 5 ft	.78	
5 to 6 ft	1.00	.90
6 to 8 ft	2.00	
F. virdissima (Greenstem Forsythia). S	tron	g-grow-
ing, upright habit, thick, dark gr	een	leaves;
flowers later than other varieties. 7		
2 to 3 ft	.40	
3 to 4 ft	.50 .75	
5 to 6 ft	1.00	
6 to 7 ft	2.00	
HAMAMELIS virginiana (Witch-hazel).	Tall	shrub.
Yellow flowers in November. 12 to 15	ft.	
2 to 3 ft	.50	•
3 to 4 ft	.90	
4 to 5 ft	$\frac{1.00}{1.25}$	
6 to 8 ft	2.50	
8 to 10 ft	3.50	
10 to 12 ft	5.00) —
12 to 14 ft	6.0	0 —

	Each	10 Rate
HIBISCUS syriacus (Shrub-althea). T		
shrub, suitable for masses, hed	•	
shearing. Blooms in late Summer.	_	
W a amplication Datable wage and		
H. s. amplissima. Double rosy-red. 3 to 4 ft.	.75	.60
4 to 5 ft		
5 to 6 ft		
	21-0	
H. s. Boule de Feu. Double red.		
2 to 3 ft		.40
3 to 4 ft		.60
4 to 5 ft		. 7 5 1.10
5 to 6 ft		1.10
0 00 0 10	2.00	
H. s. coelestis. Single blue.		
18 to 24 in	.40	
2 to 3 ft	.60	
3 to 4 ft		
4 to 5 ft	1.25	
5 to 6 ft	2.00	
H. s. Jeanne d'Arc. Double White.		
	75	co
3 to 4 ft		•
4 to 5 ft	1.35	
6 to 8 ft		1.20
0 10 8 16	2.00	
H. s. Lady Stanley. White shaded red	••	
2 to 3 ft	.50	.40
3 to 4 ft	.75	
4 to 5 ft	.90	.7 5
H. s. meehani. Variegated foliage.		
4 to 5 ft	1.00	.90
5 to 6 ft	1.50	
6 to 7 ft	2.00	1.75
7 to 8 ft	3.00	
H. s. paeoniaeflora. White with cherr	n aanta	•
3 to 4 ft.	y center.	.60
4 to 5 ft	.90	.75
5 to 6 ft		
6 to 7 ft		
7 to 8 ft		
	,	
H. s. totus albus. Single white. 4 to 5 ft.	00	ne
4 to 5 ft	1.35	.75
HYDRANGEA arborescens grandiflora		
drangea). Large, pure white flow		
Use in border or mass planting. 4		
2 to 3 ft		
3 to 4 ft	.15	.60
H. paniculata grandiflora (Peegee).	Large,	showy
blooms in August. 8 to 9 ft.		
2 to 3 ft	.50	
3 to 4 ft		
4 to 5 ft	.90	.75

E	ach 10	Rate
ILEX serrata (Finetooth Holly). Symm	etrical.	slow
growing shrub. Small, bright red	,	
each twig, remaining until Midwinte		
4 to 5 ft	5.00	
5 to 6 ft	7.50	
6 to 8 ft	10.00	
I. verticillata (Winterberry). Bright red		
sisting to Midwinter. Prefers moist so		
2 to 3 ft	.60	.55
3 to 4 ft	.90	.75
4 to 5 ft	1.25	
5 to 6 ft	1.75	
6 to 8 ft	2.25	2.00
KERRIA Japonica (Single Kerria). F		
shaped, golden yellow. June to Sep		•
1½ to 2 ft		
2 to 2½ ft	.90	
KOLKWITZIA amabilis (Beauty Bush).		
new shrub from Korea, making lo		
graceful foliage and completely burie	d in de	licate
pink flowers.		
2 to 3 ft		•
3 to 4 ft		.80
4 to 5 ft	1.25	1.10
5 to 6 ft	1.50	
LESPEDEZA bicolor (Shrub Bushclov	• –	-
graceful shrub. Clover-like foliage	. Rose	and
white flowers in August. 6 to 8 ft. 3 to 4 ft.	.60	.55
4 to 5 ft	.75	.65
5 to 6 ft	1.00	.90
6 to 7 ft	1.25	
	20	
IICIISTRIIM ibota (Thota Princt) A ac	mnoat	ahmuh
having good foliage. Abundant blace	_	
Fall. 9 to 10 ft.	K Delli	162 111
2 to 3 ft	.35	.30
3 to 4 ft	.50	.45
4 to 5 ft	.60	.55
5 to 6 ft	.75	
L. ibota regelianum (Regel Privet). Co	_	-
metrical, drooping habit. Black ber	ries in	Fall.
5 to 6 ft.		20
2 to 3 ft	.75	.60
3 to 4 ft	.90 1.25	.75
4 to 5 ft	1.20	
L. ovalifolium (California Privet). S	tiff. 111	oright
shrub; (See also Hedge Plants).	, u	
3 to 4 ft. Ex. hvy. cut back clumps	.90	.75
4 to 5 ft. Ex. hvy. cut back clumps		
5 to 6 ft. Ex. hvy. cut back clumps		1.80
6 to 8 ft. Ex. hvy. cut back clumps	3.00	2.70
-		

LIGUS/TRUM—Continued

			_
		Each 10 R	ate
L	ovalifolium nana (Lodense Privet).	Dense, co	m-
	pact and dwarf. Excellent compa	ct hedge	for
	gardens.		
	12 to 15 in	.35	.30
	15 to 18 in	.50	.40
	18 to 24 in	.60	.5 0
LO	NICERA fragrantissima (Winter		
	Slightly drooping habit. Fragrant	white now	ers
	in May. 6 to 8 ft.	50	40
	2 to 3 ft	.50	.40
	3 to 4 ft		.65 .75
	4 to 5 ft		-
	6 to 8 ft	1.50 -	
Ψ.	maacki podocarpa (Late Honeysuckle	s) Small n	ink
La.	flowers. Vigorous growth.	o, omer p	84.4.
	2 to 3 ft	.60	.50
	2 00 0 10	.00	.00
L	morrowi (Morrow Honeysuckle). W	ide spread	ing
	branches; flowers white. May-June		
	berries. 7 to 8 ft.		
	2 to 3 ft	.50	.45
	3 to 4 ft		.50
	4 to 5 ft	.75	.60
	5 to 6 ft	.90 -	
	6 to 8 ft	1.50 -	
L.	ruprechtiana (Manchurian Honey	zuckle). T	all
	bush, white flowers. Orange-red fru		
	2 to 3 ft		.40
L.	tatarica (Tatarian Honeysuckle).	Symmetri	cal
	shrub. Abundant pink flowers and	•	
	to 10 ft.		
	2 to 3 ft	.50	.40
	3 to 4 ft	.60	.50
	4 to 5 ft	.75	.65
	6 to 8 ft	1.50 -	
L.	tatarica alba (White Tatarian Hone	-	
	ilar to preceding, with white flower		
	2 to 3 ft	, .50	
	3 to 4 ft		.50
	4 to 5 ft	.75	.60
70.6	ZDECIA conclimantia (National S	de course	a al
IVI.	RICA carolinensis (Northern Bay		
	rich green foliage. Gray berries in		nıg
	the stem. Does well in poor or san		70
	18 to 24 in	.75	.70
M.	perifora (Parhamu) Trachil in ann	പ്രഹി വ	200
TAT.	cerifera (Bayberry). Useful in sanc foliage plant.	dy son, CR	νu
	2½ to 3 ft	1.00	.90
	3 to 4 ft		.90 1.00
	4 to 5 ft		1.50
	5 to 6 ft	2.50 -	
	6 to 8 ft		
	· • • • • • • • • • • • • • • • • • • •	0.00	

·		
Ea	ch 10	Rate
PHILADELPHUS coronarius (Sweet M		
		_
Frect shrub. Fragrant white flowers	m Ju	ne. 9
to 10 ft.	40	0.5
2 to 3 ft	.40	.35
3 to 4 ft	.50	.45
4 to 5 ft	.75	.60
5 to 6 ft	.90	.80
6 to 8 ft	1.25	
P. falconeri (Star Mockorange). Shrub v	with sk	ender
arching branches. Fragrant white flow		
7 to 8 ft.	010 111	.
4 to 5 ft	.75	
5 to 6 ft.	.90	.80
6 to 8 ft	1.50	1.35
υ ω στι	1.30	1.33
P. gordonianus (Gordon Mockorange). Fr	roe bla	omina
shrub; white flowers in July. 10 to		ommg
Transplanted specimens.	12 16.	
	ne	CE
	.75	.65
6 to 8 ft,	1.25	1.00
P. grandiflorus (Big Scentless Mockorange	ച സംദ	l 270257
large white flowers in June. 8 to 10		i, very
3 to 4 ft		
	.60	
	.75	
5 to 6 ft	1.75	
6 to 8 ft	2.50	
8 to 10 ft	3.00	
HYBRID MOCKORANGE		
PHILADELPHUS Avalanche (Avalanche I		-
Tall, graceful shrub. White blosson	ns in	June.
8 to 10 ft.		
2 to 3 ft	.50	.40
3 to 4 ft	.60	.55
P. lemoinei erectus (Juno Mockorange).	More	00m-
pact than Lemoinei, but similar other	CI WISC.	June.
8 to 10 ft.	co.	15
2 to 3 ft	.60	.45
3 to 4 ft	.75	
4 to 5 ft	.90	
P. Mont Blanc (Dwarf Mockorange). V	ery fr	agrant
white blossoms in profusion. June.		
2 to 3 ft	.50	
3 to 4 ft	.75	
4 to 5 ft	.90	
2 00 0 20, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
P. virginalis (Virginal Mockorange). Bea	utiful.	semi-
double flowers produced intermitten	tlv all	Sum-
mer.		
18 to 24 in	.45	
2 to 3 ft	.50	
2 00 0 10,		

				Each 10	
4			ristmas Berry).		
		•	ome in autum i red berries.	III, WALEE	pora
3	•			.90	.75
4	to			1.25	1.00
5	to			2.00	1.75
6				2.50	2.00
7				4.00	2.00
•	00	0 10	• • • • • • • • • • • • • • • • • • • •	1.00	
PHYSO	CAR	PUS opuli	folius (Commo	n Ninek	ark).
Ere		gorous shru	b. White flower		
3	to	4 ft		.50	.40
4	to	5 ft		.60	.50
5	to	6 ft		.90	.70
_			(Goldleaf Nine ow foliage. 9 to		W hite
3			• • • • • • • • • • • • • • • • • • • •		.40
4 5			• • • • • • • • • • • • • • • • • • • •		.60 1.10
6	to				1.10
· ·		0 10	• • • • • • • • • • • • • • • • • • • •	2.00	1.00
PRUNU	JS. (Also see Tr	ees).		
			lba (Double W		ond).
Sm	all, v	_	white rosettes.		
2 3					
3	Ю	4 10	• • • • • • • • • • • • • • • • • • • •	1.20	-
		·	Plum). Small		
_		anting. 8 t	. Good for san	ay som of	Sca-
18	_	_		.50	.40
2	to				.60
3	to	4 ft		1.50	1.25
4	to	5 ft		2.00	
5	to		• • • • • • • • • • • • • • • • • • • •	2.50	
6	to		• • • • • • • • • • • • • • • • • • • •	3.00	
8			• • • • • • • • • • • • • • • • • • • •	5.00	
10	to :	2 ft	• • • • • • • • • • • • • • • • • • • •	7.50	
DVDAC	Y A 'BT'	WA lalandi	i (Tolond Time	thom) (Showsh
			i (Laland Fire hes. White flow	·	Shrub
	nge :		1100. 1111100 11011	OID WILL A	A140114
4	to	5 ft		5.00	4.50
	to		• • • • • • • • • • • • • • • • • • • •		
DIIODO	`	100 l	: / Y.13	Clark 1	
	UD.		ides (Jetbead). te flowers in d		
		_	inter. 4 to 5 ft		
2					.45
3			• • • • • • • • • • • • • • • • • • • •		.50
4	to	5 ft	• • • • • • • • • • • • • • • • • • • •	.75	.60

	SWAN	RIVER	NURSERY,	Patchog	ue, N. Y	Z. 61
				E	Cach 10	Rate
DIT	75	lmana (Class	oko Musek 10	1- 15 #1	***	61
			oke Tree) 12 of fruit in			
		plants.	or man m	July. V	ery accir	acuve
	•	-			.85	
					1.00	
1					1.50	
					2.00	
	0 00	J 0 10.			4.00	
-). Leaves a h <mark>ery appe</mark> ara	-	cut, g	giving
	3 to	4 ft.			.50	.40
4	4 to	5 ft.			.75	.60
	5 to	6 ft.			.90	.80
		•			1.25	1.00
	8 to	10 ft			1.75	
	10 to	12 ft.	• • • • • • • • • • •		2.25	
	shrub. into a	Rose-o	(Rose-acae colored flower 5 to 6 ft.	rs in Ju	ne. De	velops
					.75	.65
			• • • • • • • • • • •		.90	.75
					1.25	1.00
	5 to	6 ft. s	tandards		2.00	1.80
			lensis (Ameri s; fragrant			
					.60	.45
e e					.75	.65
SPI	RAEA	bumalda	a, Anthony V	Vaterer (Waterer	· Spi-
	rea). I	Deep ros	e pink flower	s all Sur	nmer.	
	12 to	o 18 in.			.40	.35
	18 to	24 in.	• • • • • • • • • • • •		.50	.45
-	dant v	white flo	lia (White Ja wers in June	July. 3 f	t.	
					.60	.50
	21/2	to 3 ft.	• • • • • • • • • • •	• • • • • • •	.75	.65
			ndifolia (Big eaves; white			
	5 to	o 6 ft.			.75	.65
	6 t	o 7 ft.			1.00	
	Pure v	white, do	ves Spirea). C ouble flowers.	May-Ju	ne. 7 to	
					.35	
					.50	
					.75	
	5 t	o 6 ft.		• • • • • • •	1.00	
	green	leaves.	nberg Spirea) Arching bran			
			4 to 5 ft.		.50	AE
	_		• • • • • • • • • • • • • • • • • • • •			.45
			• • • • • • • • • • • • • • • • • • • •		.75 1.00	.60
			• • • • • • • • • • • • •			.90
	5 t	0 O IT.	• • • • • • • • • • •	• • • • • • •	1.25	

SPIRAEA—Continued

		Each 10	Data
S.	trichocarpa (Korean Spirea) 5 to 6	•	simi-
	lar but coarser than the Van Houtt		
	2 to 3 ft		
	3 to 4 ft		
	4 to 5 ft	.90	
s.	vanhouttei (Vanhoutte Spirea). Grae habit. Profusion of white flower		
	8 to 9 ft.	0.5	
	18 to 24 in	.35	
	2 to 3 ft		.30
	3 to 4 ft		.40
	4 to 5 ft	.75	.60
ST	Compact, graceful, drooping branch foliage. 5 to 6 ft.	hes. Exc	
	3 to 4 ft	.60	.50
	4 to 5 ft		.60
	5 to 6 ft	1.25	1.00
SY	MPHORICARPOS chenaulti (Chena 3 to 4 ft. An improved, hybrid va berry. Fruits last until midwinter.	riety of (•
	2 to 3 ft		.45
	3 to 4 ft		.60
	4 to 5 ft	.90	.80
	2 00 0 20		.00
S.	racemosus (Common Snowberry). Abundant white berries. Good f shady places. 5 to 6 ft.	or moist	
	18 to 24 in	.30	25
	2 to 3 ft	.40	.35
	3 to 4 ft	.50	.45
S.	vulgaris (Coralberry). Compact grownies persisting through the Winter.	4 to 5 ft	•
	2 to 3 ft		.35
	3 to 4 ft	.ou	.45
ST	RINGA chinensis (Chinese Lilac). A bearing abundant purple flowers in ft.	May. 8	to 10
	2 to 3 ft	.70	.60
	3 to 4 ft	' .90	.80
	4 to 5 ft	1.25	
s.	persica (Persian Lilac). Free bloomi ender flowers. June. 9 to 10 ft.		
	2 to 3 ft	.70	.60
	3 to 4 ft	.90	.80
	4 to 5 ft	1.25	1.00
	5 to 6 ft	1.50	
S.	villosa (Late Lilac). Vigorous growth, purple flowers. June. 7 to 8 ft.		
	3 to 4 ft	.60	.50
	4 to 5 ft	.75	.60
	5 to 6 ft	1.25	1.00
	6 to 7 ft	2.00	1.75

SYRINGA—Continued

					Each 10	Rate
S.	vulga	ris	(Com	mon Lilac). The we	ell-known	. old-
	_			c. May. 15 to 18 ft.		,
	2	to			.50	.40
	3	to			.60	.50
	4	to		• • • • • • • • • • • • • • • • • • • •	1.00	.90
	5	to		• • • • • • • • • • • • • • • • • • • •	2.00	1.90
	6 7	to		• • • • • • • • • • • • • • • • • • • •	3.00	2.75
	7	to	8 16.	• • • • • • • • • • • • • • • • • • • •	5.00	4.50
S.	_			Common White Lilac) May. 12 to 15 ft.	. White v	ariety
	3	to			.75	.60
	4	to			1.00	.90
	5	to		• • • • • • • • • • • • • • • • • • • •	2.00	1.80
	6 7	to to		• • • • • • • • • • • • • • • • • • • •	3.00 5.00	2.75 4.50
	•	U	0 10.	• • • • • • • • • • • • • • • • • • • •	3.00	4.50
				HYBRID LILACS	•	
S.	Charl	les 1	he Te	nth. Single, reddish	nurple	
	2	to				
	3	to			1.50	
	4	to			2.50	
	5	to		• • • • • • • • • • • • • • • • • • • •		
	6	to	8 It.		. 5.00	
S.	Clau	de F	Bernar	d. Semi-double, brigh	t mauve.	
	4	to			3.00	
	5	to	6 ft.		4.00	
	6	to		• • • • • • • • • • • • • • • • • • • •		
	7	to		• • • • • • • • • • • • • • • • • • • •	7.50	
	8	to	10 17.		10.00	
S.	Dr. M	Iast	ers. I	Double, clear Lilac.		,
	4	to			3.00	
	5	to	6 ft.		4.00	
	6	to	8 ft.	• • • • • • • • • • • • • • • • • • • •	7.50	
S	Emol	ndi				
ο.	3	to	4 ft.		2.00	
	4	to			3.00	
	5	to	6 ft.		4.00	
6	TT	17.	atom (Cinala Tilaa maddiah	tingo	
5.	Hugo 2			Single Lilac, reddish	1.00	
	3	to			1.50	
	4	to			2.50	
	5	to		• • • • • • • • • • • • • • • • • • • •	3.50	
S.				Double white.	1.50	
	2 3	to			$\frac{1.50}{2.00}$	
	4	to			3.00	
	_				• • • • • • • • • • • • • • • • • • • •	
S.	_	_		. Single, dark purple	1.75	
	3 4	to to			2.50	
	5	to			3.50	
	6	to			5.50	
	•					

SYRINGA—Continued

				Each	10 Rate
S.	Mari	e T	egraye. Single white.		
٠.	2	to		1.0	0 —
	3	to		1.5	
	4	to		2.5	
	5	to		3.5	
	. •				
S.	Miss	E.	Wilmot. Double snow white.		,
	2	to	3 ft	1.2	5 —
	3	to	4 ft	2.0	0 —
	4	to	5 ft	3.00) —
	5	to	6 ft	4.50	· —
	6	to	8 ft	7.50) —
S.	Mme.	Le	moine. Double white.		
	5	to	6 ft	3.5) —
	6	to	8 ft	5.5	3 —
					,
S.	nigra	ns.	Single, violet purple.		
	2	to	3 ft	1.50	
	3	to	_ = =	2.2	
	4	to	5 ft	3.50) —
S.			llieres. Great trusses double	_	
	3	to		2.00	
	4	to	5 ft	3.00) —
			(
S.			Grevy. Large double blue.	4.04	
	2		3 ft	1.00	
	•		4 ft	1.50	
	4	to	5 ft	2.25	
	5	to		3.50	
	6 7	to	7 ft	5.50 7.00	
	•	W	0 10	1.04	,
Q	wiihra	ins	signia. Single red.		
٥.	2		3 ft	2.00	1.80
	3		4 ft	3.00	
	4		5 ft	4.50	
	_				
S.			Robinson. Double violet-ma		
	3		4 ft	1.50	
	4	to	5 ft	2.50) —
PRS A	BACA TO	¥ 37	African Managi	\ T	00 + 10 0 mm
1.A			africana (African Tamari		
			een foliage. Pink flowers. I ashore. 12 to 15 ft.	May.	T 111 1A C2
	3		4 ft	.50	
	4		5 ft		.50
	5		6 ft	.75	_
	6	to		_	
	•	3.5		2.00	
VA	CCIN	UM	corymbosum (Highbush	Blu	eberry).
			of good habit, to 5 or 6 ft		
			ell-shaped flowers and edibl		
			3 ft		.90
	3		4 ft		1.35
	4	to	5 ft	2.00	1.80

	Each 1	
WEIGELIA amabilis (Rose Weigela). blossoms in June. 7 to 8 ft.	Light,	pink,
3 to 4 ft	.60	.45
4 to 5 ft	.75	.60
5 to 6 ft	.90	.80
6 to 7 ft	1.50	
W. candida (Snow Weigela). Large flowers. June. 7 to 8 ft.	pure	white
2 to 3 ft	.40	.30
3 to 4 ft	.50	.45
4 to 5 ft	.60	.50
5 to 6 ft	.80	.60
6 to 8 ft	1.50	1.00
W Was Dathles (Dad Samering Weig	olo) Co	maina
W. Eva Rathke (Red-flowering Weig flowers all Summer. 4 to 5 ft.		
2 to 3 ft		
3 to 4 ft	.90	.80
W. nana variegata (Dwarf Variegated Variegated Variegated Scheme). Leaves attractively pale, pink flowers. June. 7 to 8 ft.	Weigela) y varie	Low, gated;
2 to 3 ft	.50	.45
3 to 4 ft		
4 to 5 ft	.75	
W. rosea (Pink Weigela). Abundant June. 7 to 8 ft.	pink fl	owers.
2 to 3 ft	.50	.30
3 to 4 ft	.60	.45
4 to 5 ft	.75	.60
5 to 6 ft	.90	.80
ZANTHORHIZA apiifolia (Yellowroot). suitable for sandy soil.	Ground	cover
12 to 15 in	.30	.25
15 to 18 in	.45	.40
18 to 24 in	.60	.55
2 to 3 ft	.75	.65
Screen & Boundary	Plar	its
BERBERIS thunbergi (Japanese Bahedge plant or for masses; scarle		
brilliant Autumn coloring. 4 to 5		s autu
billiant isatamin cooling. 4 w 5	10 Rat	e 100
12 to 15 in	.16	15.00
15 to 18 in.	.20	
18 to 24 in	.30	
24 to 30 in	.40	
2½ to 3 ft	.50	40.00
~		
LIGUSTRUM ovalifolium (California upright shrub; universally used for		
to 15 ft.		
1½ to 2 ft	.08	6.00
2 to 3 ft	.12	10.00
2 to 3 ft., extra heavy	.15	12.00
3 to 4 ft	.20	-
3 to 4 ft., extra heavy	.25	18.00

Roses

Hybrid or Tea

- Sturdy, two year, pot grown plants, \$.80 each or \$7.50 per 10. Unless otherwise noted.
- Autumn. Burnt sienna bud, foliage glossy, disease-resistant.
- Betty Uprichard. A spectacular double-colored rose of vivid coral and silky flesh-pink.
- Briarcliff. Pointed buds. Brilliant rose pink.
- Caledonia. Large, very double of pure white, borne singly on long stem.
- Chas. P. Kilham. Large beautifully shaped blooms of brilliant orange-pink, suffused with glowing yellow.
- Condesa de Sastago. Cupped flowers of flery copper. Fragrant.
- Dame Edith Helen, Large wonderfully shaped bright pink flowers. Most fragrant.
- Duquesa De Penaranda. Large double flowers of cinnamon-peach color. Fragrant.
- E. G. Hill. New. Large deep maroon blooms, velvety on inside.
- Edith Nellie Perkins. Buds of rich orange pink, golden underglow.
- Editor McFarland. Long pointed pink bud with glow of amber.
- Etoile de France. Bright pink flowers with curled petals showing silvery tints. Very fragrant.
- Etoile De Hollande. Brilliant red flowers of magnificent size. Very fragrant.
- Feu Joseph Looymans. Long-pointed buds and large, cupped double flowers of lasting Indian yellow.
- Fran Karl Druschki. Pinkish buds and magnificent snowy-white blooms. This is the best white rose of any class.
- G. A. van Rossem. Buds glowing orange, opening to golden salmon.
- Gruss an Teplitz. Medium sized, double blooms of brilliant crimson.
- Hadley. One of the best known crimson roses. Tall grower.
- Hinrich Gaede. Nasturtium-red buds opening to large, double orange-yellow flowers.

- Hoosier Beauty. A fine dark scarlet-crimson flower with a delightful fragrance.
- Independence Day. A branching bedding plant of excellent habit, with tawny yellow flowers, sometimes tinged with pink.
- Joanna Hill. New. Buff petals with indian-yellow center. Very double bloom.
- K. A. Viktoria. The standard, double, pure white bedding rose.
- Lady Margaret Stewart. Golden yellow shaded and streaked with orange and red. Not very fragrant.
- Lord Charlemont. A very handsome, brilliant scarlet rose. Fragrant.
- Los Angeles. Brilliant salmon-pink, blooming frequently.
- Margaret McCredy. Orange-vermilion blooms. Buds upright. Very persistent bloomer.
- McGredey's Scarlet. Large, loosely formed flowers of vivid rose-red.
- Mme. Edouard Herriot. Buds coral-red and orange, opening to large semi-double flowers of orange-red and salmon.
- Mme. Jules Bouche. White flowers very lightly tinted pink on inside.
- Mrs. Aaron Ward. A fine low growing bedding plant, with attractive flowers of tawny gold and pink.
- Mrs. Erskine Pembroke Them. Slender yellow buds and large bright canary yellow blooms.
- Mrs. Henry Bowles. Buds and flowers of clear pink. Vigorous and free flowering.
- Mrs. P. S. DuPont. Buds are reddish-gold opening into beautiful yellow flowers.
- Padre. A strong growing rose of bright coppery scarlet.
- President Herbert Hoover. Maroon, orange, and gold.
- Radiance. Large, light silvery pink to salmon-pink flowers on long stem.
- Red Radiance. Big globular flowers of deep rose red.
- Roslyn. Full golden yellow bloom with splashings of orange.
- Souv. de Claudius Pernet. The earliest and one of the best yellow everblooming roses.
- Souv. de Georges Pernet. Huge, brick-red buds, opening to large orange-pink peony-shaped flowers.

- Sunburst. A popular rose with well-shaped, yellow blooms.
- Sunkist. Brownish orange sport of the well known Joanna Hill variety.
- Talisman. Brilliant red and gold buds opening to scarlet-orange and yellow blooms.
- Ville De Paris. Round buds of clear yellow, opening to same untouched hue.

Climbing Roses

- Sturdy, two year, pot grown plants, \$.80 each or \$7.50 per 10. Unless otherwise noted.
- Chaplins Pink Climber. Beautiful, clear-pink, semi-double, flowers in clusters.
- Climbing American Beauty. Moderately fragrant rich carmine flowers.
- Climbing Pres. Hoover. Flowers maroon-orange and gold.
- Climbing Red Radiance. A strong climber with flowers like hybrid.
- Climbing Talisman. Variable flowers like original hybrid.
- Orimson Baby Rambler. Bright crimson flowers.
- **Dorothy Perkins.** Clear cherry-pink, slightly fragrant flowers, borne in great profusion.
- Dr. W. Van Fleet. Perfectly formed, long-pointed deep pink buds, opening to lighter shade of pink.
- Pauls Scarlet Climber. The brightest and purest red of all the pillar Roses. Vivid scarlet, shaded crimson semi-double flowers in clusters.
- Primrose. Moderately vigorous climber with very double flowers of soft primrose-yellow.
- Silver Moon. Large semi-double white and creamy flowers that are borne in great profusion.

Miscellaneous Roses

- Sturdy, two year, pot grown plants, \$.80 each or \$7.50 per 10.
- Ellen Poulsen. (Polyantha). Rather large, fairly full flowers of bright rose-pink.
- Golden Salmon. (Polyantha). Bright orange-scarlet buds.
- Ideal (Polyantha). Dark scarlet blooms.
- Red Lafayette. Large semi-double, light cherry-crimson flowers. One of the finest bedders.

- Triomphe Orieanais. (Polyantha). Bright cherryred, well filled flowers.
- F. J. Grootendorst. Bright crimson flowers. Blooms from early summer to frost.
- Rosa Wichuraiana (Memorial Rose). Beautiful fragrant, pure white flowers, borne in great profusion.
- Rose orders should be placed early in the season for best results.

Vines and Climbers	
AKEBIA quinata (Fiveleaf Akebia). Dainty vine dark green leaf, persisting all Winter. If flowers in May. 15 to 20 ft.	
Each	Per 10
	4.00
	5.00
	7.00
Extra strong prants	1.00
AMPELOPSIS quinquefolia (Virginia Creeper). age takes on strikingly brilliant reds in Au	
30 to 40 ft.	
Medium plants	2.70
Strong plants	3.90
Extra strong plants	5.40
A. tricuspidata veitchi (Japanese Creeper). Self-	cling-
ing vine; brilliant Autumn foliage. Blue b	erries.
Strong plants	4.50
Extra strong plants	
ARISTOLOCHIA sipho (Dutchman's Pipe). I	
shaped leaves and small purple flowers like of stem of pipe.	
Medium plants	
BIGNONIA radicans.	
	6.00
Extra strong plants 1.50	13.50
CELASTRUS orbiculatus (Oriental Bitters	weet).
Scarlet fruits, borne in twos and threes.	
Medium plants	
Strong plants	
C. scandens (American Bittersweet). Like precexcept fruits borne in clusters.	eding.
Strong plants	
CIEMATIC jackmani (Icalman Clamatic) I	0.000
CLEMATIS jackmani (Jackman Clematis). I flowering purple Clematis. August. 18 to Extra strong plants in pots	
•	
C. Mme. Edouard Andre. Large flowering and red Extra strong plants in pots	l.
C. paniculata (Sweet Autumn Clematis). Fra	grant
white flowers. September. 20 to 25 ft. Extra strong plants in pots75	7.00

Each Per 10

7.50

12.50

1.00 1.50

4.00

5.00

EUONYMUS. (See Evergreen Shrubs).
HEDERA. (See Evergren Shrubs).
New everblooming, fragrant hardy, flowers red outside, yellow inside on curved petals. Strong plants
L. japonica halliana (Hall Japanese Honeysuckle). Quick-growing vine; fragrant white flowers. June. 15 to 20 ft. Strong plants
wisteria sinensis (Chinese Wisteria). Hardy climber, clusters of large violet-blue flowers. May. 40 to 50 ft. Strong plants
W. sinensis alba (White Chinese Wisteria). Same as

preceding, except flowers which are white.

Strong plants

Strong plants

Extra strong plants

Extra strong plants

W. naga-noda. Blooms 3 ft. long. Purple.



Perennials

It is no wonder that these grand, old-fashioned hardy garden flowers continue to increase in popularity. There is not a time during the whole flower season in which some hardy perennial is not in bloom.

Five plants of one variety given at 10 rate, and 25 plants of one variety given at 100 rate when 10 and 100 rates are mentioned. Large clumps, 35c. up.

Each 10 100

AMSONIA tabernaemontana (Willow Amsonia). Panicles of small, light blue flowers. May. 2 to 3 ft. .25 1.50 9.00

ASTILBE Amethyst. Well branched spikes of deep violet-purple. End of June. .30 2.50 ——

A. Gloria Superba. Deep rose-pink plumes. End of June. .30 2.50 ——

CHRYSANTHEMUM. Selected varieties and colors. .25 1.80 12.00

COREOPSIS grandiflora (Big Coreopsis). Yellow. June-October. 2 to 3 ft. .25 1.50 9.00

HELIANTHUS decapetalus (Thinleaf Sunflower). Yellow. June-July. 4 ft. .25 1.50 9.00

HIBISCUS moschoutos (Common Rose-Mallow Pink).
August. 3 ft. .25 2.00 12.00

HOSTA caerulca (Blue Plaintainlily). Lavender flowers. July. 18 in. 25 1.80 12.00

H. undulata variegata (Variegated Leaf Plaintainlily).
Blue. August. 18 in. .25 2.10 12.00

IRIS germanica (German Iris). Mixed colors. May 2.
3 ft. .25 1.80 12.00

L kaempferi (Japanese Iris). Blue and white. June. 3 to 4 ft. .30 2.40 18.00

I. sibirica (Siberian Iris). Blue. May 2. 2 to 3 ft.
.25 1.80 12.00

PAEONIA

Each Per 10

Baroness Schroeder. Large, flesh white globular blooms. .50 4.50

Duchess de Nemours. Guard petals, white; center, lemon-yellow. Blooms early. .65 6.00

Edulis Superba. Clear deep pink; blooms very early.

Felix Crousse. Brilliant red. Late mid-season. .50 4.50

Festiva Maxima. White center, crimson flecked. Blooms early. .50 4.50

	Each	Per 10
Louis Van Houtte, Bright red to crim late.	nson. 1 .50	Blooms 4.50
Marie Lemoine. Large late bloom. Ivory lightly edged with pink.	white .50	petals 4.50
Martin Cahuzac. Deepest crimson.	.50	4.5 0
Mme. Chaumy. Clear pink, very full shape. Late.		f good 4.50
Queen Victoria. White with guards splashed with crimson.	and .50	center 4.50
Rosea plena superba. Delicate pink flowers.	and .50	salmon 4.50
Rubra superba. Deep carmine-crimson bloom.		y late 6.50
PHLOX		
Large clumps \$.50 each. \$4.00 p	er 10	
	Each	Per 10
Beacon. Red	Each .25	Per 10 2.10
Boule de Feu. Cherry-red	.25 .25	2.10 2.10
Boule de Feu. Cherry-red	.25 .25 .25	2.10 2.10 2.10
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink.	.25 .25 .25 .25	2.10 2.10 2.10 2.10
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white	.25 .25 .25 .25 .25	2.10 2.10 2.10 2.10 2.10
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink.	.25 .25 .25 .25	2.10 2.10 2.10 2.10
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink	.25 .25 .25 .25 .25 .25	2.10 2.10 2.10 2.10 2.10 2.10
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink Each	.25 .25 .25 .25 .25 .25	2.10 2.10 2.10 2.10 2.10 2.10
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink Each RUDBECKIA laciniata (Golden-glow).	.25 .25 .25 .25 .25 .25	2.10 2.10 2.10 2.10 2.10 2.10 199 . Aug-
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink Each RUDBECKIA laciniata (Golden-glow). gust. 4 to 5 ft75 Sedum spectabile (Showy Sedum). Flat	.25 .25 .25 .25 .25 .25 .25 Yellow 2.20	2.10 2.10 2.10 2.10 2.10 2.10 199 . Aug- 15.00
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink Each RUDBECKIA laciniata (Golden-glow). gust. 4 to 5 ft75	.25 .25 .25 .25 .25 .25 .25 Yellow 2.20	2.10 2.10 2.10 2.10 2.10 2.10 199 . Aug- 15.00
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink Each RUDBECKIA laciniata (Golden-glow). gust. 4 to 5 ft75 Sedum spectabile (Showy Sedum). Flat	.25 .25 .25 .25 .25 .25 .25 .20 Yellow 2.20 heads 2.00	2.10 2.10 2.10 2.10 2.10 2.10 199 . Aug- 15.00
Boule de Feu. Cherry-red Mrs. Jenkins. Pure white. Pink Beauty. Pale pink. Queen. Pure white Riverton Jewel. Pink Each RUDBECKIA laciniata (Golden-glow). gust. 4 to 5 ft75 Sedum spectabile (Showy Sedum). Flat flowers. September. 12"25 ORNAMENTAL GRASS (Eulalia). Large clumps	.25 .25 .25 .25 .25 .25 .26 Yellow 2.20 heads 2.00	2.10 2.10 2.10 2.10 2.10 2.10 199 . Aug- 15.00 of pink



Fruit Department Carrie Parts

1.15 13 11

STANDARD APPLES

		D T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T		
				Each
11/16	6'' ca	1		\$1.00
3/4/1				1.25
1''	cal.			2.00
11/4"	cal.		• • • • • • • • • • • • • •	2.50
11/2"	cal.			
1%"	cal.			3.50
2"	cal.			4.50
21/4"	cal.			5.50
21/2"	cal.			7.50
2%"	cal.			9.00
3′′	cal.			12.00
31/2"	cal.			15.00
4"	cal.	• • • • • • • • • • • •		18.00
41/2"	cal.			25.00

SUMMER VARIETIES

Red Astrachan. Earliest. A large red, striped table Apple of high quality.

Yellow Transparent. Large, pale yellow, flesh white, tender and sweet.

AUTUMN VARIETIES

Early McIntosh. Deep crimson. Very juicy.

Fall Pippin. Large yellow fruit.

Gravenstein. Very large, greenish-yellow; excellent flavor.

McIntosh. Red, extremely hardy, noted for bearing regularly.

Sweet Bough. Large pale yellow, tender sweet.

Wealthy. Light yellow, nearly covered with red; white juicy flesh.

WINTER VARIETIES

Baldwin. Large, red highly colored, crisp and juicy. Banana. Early bearer. Yellow shaded bright crimson; flesh fine grained.

Bellflower. Very large, pale lemon yellow. Flesh tender, juicy and crisp.

Blaxtayman. One of the new varieties.

Cortland. Fruits abundant, large round with heavy overlay of shaded reds. Luscious juiciness with sprightly flavor.

Delicious. Large; brilliant dark red Apple; flesh white. tender and juicy. Surpasses all others in flavor.

Grimes Golden. Yellow productive, of highest quality.

Johnathan. Medium, red, extra quality.

King. Large, striped, productive. Early.

Northern Spy. Large, striped, tender and delicious.

Rhode Island Greening. Large, yellow when fully ripe, tender and juicy.

Roxbury Russet. Fine russet.

- Stayman Winesap. Improved Winesap, larger and more prolific.
- Spitzenburg. Large, light red, flesh yellow, crisp and richly flavored.
- Tolman Sweet. Medium, yellow and red. November.
- Wagener. Good size, deep red in the sun. One of the first to bear.
- Wolf River. Greenish-yellow, shaded crimson, juicy, slightly acid.
- York Imperial. Medium, whitish, shaded with red, very good quality.

CRAB APPLES

2"	cal.			•		•		•			•		•	•		•					•	•	•					\$ 4.	00)
24"	cal.							•					•						•	•	•	•	•		•	•	•	5.	00)
21/2"	cal.														•													7.	00)
2%"	cal.		 			•								•	•						•	•	•		•		•	9.	00)
3"	cal.				•	•	•	•							•		•			•	•			•		•		12 .	00)
3½"	cal.			•	•		•		•	•		•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	15.	00)

Hyslop. Large size, dark crimson and very showy. Transcendent. Red.

STANDARD PEARS

8411	cal.	•									•	•						•				•						\$1,25
1"	cal.												•	•			•	•	•									2.00
14"	cal.	•						•														•		•				2.50
11/2"	cal.	•	•			•			•				•	•				•	•								•	3.00
1%"																												
2"	cal.				•	•	•		•			•			•	•	•	•	•		•	•	•	•	•	•	•	4.50
21/2"	cal.																											5.50

SUMMER VARIETIES

- Bartlett. Large, yellow, with red cheek; flesh rich and juicy.
- Clapp's Favorite). Large long, light yellow, with red cheek. Very juicy and rich.
- Beurre Bosc. Large, long and tapering; russet; vigorous grower.

AUTUMN VARIETIES

- Kieffer. Large, yellow and red cheeked. Grain is coarse and is best for canning and preserving.
- Lawrence. Medium size, fine golden yellow; sugary and aromatic.
- Seekel. Medium to small; yellowish brown with red cheek; very rich and delicious.
- Duchess of Angouleme. Very large, rich and juicy.

CHERRIES

5	to	7	ft.	high,	2	yr.			•	•		•	•	•	•	•	•	•	•		.\$1.25
6	to	7	ft.	high,	3	yr.	•	•	•	•	•	•	•	•	! •	•	•	•	•	•	. 1.75
6	to	8	ct.	high,	4	yr.	١	•	! •	•	٠	•	•	•	•	•	•	•	•	•	. 2.75

SWEET VARIETIES

- Black Tartarian. Large, bright purplish-black; flesh purplish, rich and delicious.
- Governor Wood. Large, light yellow and red, juicy and sweet.
- Napolean. Large pale yellow, almost white, at least one red cheek; firm, juicy and sweet.
- Windsor. Fruit large, liver-colored. Distinct.

SOUR VARIETIES

Early Richmond. Medium size, dark red, juicy rich acid flavor.

Montmorency. Large, red and very productive.

QUINCES

3 to	4 ft.	\$1.2
4 to	5 ft.	
5 to	6 ft.	
		2.0
11/2"	cal.	

Champion. Ripens late and bears regularly; excellent quality.

Orange. Large and fine, always bears an abundance of fruit.

PLUMS

3 to 4 ft.	\$1.25
4 to 5 ft.	1.50
	2.00
1½" cal.	2.50
1¾" cal.	
2" cal.	5.00

Abundance. Hardy and productive. Fruit large, pinkish red with heavy bloom. August.

Bradshaw. Large dark red, flesh green, juicy. August.

Green Gage. Round, greenish-yellow; rich and excellent.

German Prune. One of the most desirable fruit trees. Lombard. Medium, violet-red, juicy, hardy and productive. August.

PEACHES

3	to	4	ft.,	2	У	r	•				-										\$.50)
			ft.																			.73	5
5	to	6	ft.						_								_	_			1	.00)

SUMMER VARIETIES

- Belle of Georgia. Skin white with red cheek. Very prolific.
- Carman. Large, creamy white deep blush. Quite juicy.
 August.
- Champion. Creamy white red cheek, very large. Sweet, juicy.
- Crawfords Early. Large yellow quality peach.
- Elberta. Large, yellow with red cheek. Juicy and of good flavor.

- Golden Jubilee. Recent introduction. Skin yellow with red blush.
- J. H. Hale. A choice variety, larger than Elberta, of golden yellow color.

AUTUMN VARIETIES

Crawford's Late. Very large, yellow with dark red cheek; flesh deep yellow, red at the stone; juicy and excellent flavor.

Small Fruits

BLACK BERRIES

Strong plants\$.15 \$1.00

Early Harvest. Dwarf grower, enormous bearer.

Eldorado. Hardy. Berries large, jet black, borne in large clusters.

Mersereau. Extra size berries, brilliant black. Sweet.

CURRANTS

 Medium plants
 \$.30
 \$2.50

 Strong plants
 50
 4.50

Cherry. The largest of all red Currants; berries deep red, quite acid.

White Grape. Long, loose bunches of medium-sized white berries; excellent quality, mild and sweet.

RASPBERRIES

Cumberland. Black cap.

Cuthbert. Fruit is large, firm of texture, and of excellent quality.

Latham. Fruit of large size, deep red.

St. Regis. Bright crimson, large firm meaty berries.

Taylor. Large long berry, firm bright red in color. Fine flavor.

GRAPES

Medium plants\$.3	5 \$3.00
Strong plants	0 4.00
Extra strong	

BLACK VARIETIES

Concord. The most popular black Grape; juicy, sweet, fine flavor.

Moores Early. Bunch and berry large; desirable for earliness.

Worden. Big, compact bunches of extra large, thinskinned berries; very productive.

RED VARIETIES

Agawam. Large, dark red.

Brighton. Bunch large; excellent flavor and quality. Early.

Caco. Fruit very large and of excellent flavor.

- Catawba. Bunches medium; berries large, somewhat pulpy, juicy, aromatic and rich.
- Delaware. Bunches and berries are small, compactly set. Light red, violet bloom. Early.

WHITE VARIETIES

- Diamond. White with yellow tinge; juicy, few seeds, excellent quality. Early.
- Green Mountain. An extra early variety from Vermont. Skin thin, pulp tender and sweet, quality superb.
- Niagara. White, early. Bunch and berry large. Excellent flavor.

STRAWBERRIES

,	Per 100
Early	\$2.00
Midseason	2.00
Late	2.00
Everbearing	3.00

GOOSEBERRIES

American Varieties

Strong plants\$.30	\$2.50
Extra strong plants	4.00

Downing. Fruit greenish white, large, soft and juicy. Houghton. Medium-sized, pale red, sweet and juicy.

NUT TREES

Corylus Avallana (European Filbert). An attractive small tree which bears its nuts abundantly in Autumn.

6	to	8	ft.												٠				\$1.50
8	to	10	ft.	٠			٠									۰		,	2.50

JUGLAUS nigra (Black walnut). Relatively fastgrowing; a fine specimen bearing especially tasty nuts.

3	to	4	ft.		•		•		•	•	•		٠				•				٠		•	\$ 	30)
4	to	5	ft.					•	•						•									1.0)()

J. sieboldiana (Japanese Walnut). Hardier than the English Walnut; nuts equally delicious. Grows quite rapidly into a broad, spreading specimen.

4 to 5 ft.\$2.50 Larger sizes—Prices on application.

ASPARAGUS

	Per 100
Strong plants	\$2.25
Extra strong plants	3.00

- Conover's Colossal. Of large size, rapid growth, and excellent quality. Green.
- Martha Washington. A new rust-resistant Asparagus. Good for home or market growing.
- Palmetto. A very popular variety of best quality. White.

RHUBARB

Small plants\$.20	\$1.80
Medium plants	3.00
Strong plants	4.50

Lawn Seed

the second secon

SCOTTS LAWN SEED—Regular Mixture

Recognized as America's leading lawn seed. It produces fine turf of deep rooting perennial grasses. The liberal content of Creeping Bent assures a bright green lawn, thick and weed-free. Furnished without clover unless otherwise requested.

1 lb. ..\$.60 10 lbs. ..\$ 5.25 50 lbs. ..\$22.50 3 lbs. .. 1.75 25 lbs. .. 12.50 100 lbs. .. 45.00 5 lbs. .. 2.75 We pay parcel post or express on all shipments

SCOTTS SHADE MIXTURE

A blend of special grasses for areas receiving sunshine less than half the day. It produces turf which harmonizes with that from Scotts (Regular) Lawn Seed. For lightly shaded lawns use equal parts of Regular and Shade Mixtures.

10 lbs. ..\$ 6.75 50 lbs. ..\$30.00

1 lb. ..\$.75 3 lbs. .. 2.15 5 lbs. .. 3.50 25 lbs. . . 16.25 100 lbs. . . 60.00 We pay parcel post or express on all shipments

SCOTTS CREEPING BENT SEED

This is the pure strain, not mixed with different kinds of Bent and other grasses. Lawns of Scotts Creeping Bent possess that velvety, weed-free appearance which only the pure strain can produce. Creeping Bent grows in sun or partial shade. It is excellent for sowing into established lawns. excellent for sowing into established lawns. Many fine lawns are made by sowing equal parts of Creeping Bent and Regular Mixture.

1 lb. ..\$1.65 10 lbs. ..\$15.00 50 lbs. ..\$ 70.00

3 lbs. . . 4.70 25 lbs. . . 36.25 100 lbs. . . 140.00 5 lbs. . . 7.75 We pay parcel post or express 5 lbs. .. 7.75 on all shipments

SCOTTS WHITE DUTCH CLOVER

Where some Clover is desired in a lawn it is better to sow it separately than as part of a mixture. It should be sown sparingly.

½ lb. ..\$.35 1 lb. ..\$.60 3 lbs. ..\$1.75 We pay parcel post or express on all shipments

SCOTTS CREEPING BENT STOLONS

These chopped roots and runners are planted instead of seed in building new lawns. They develop a thick, solid turf of remarkable beauty and texture in record time (six to eight weeks). The best planting period is fall although good results can be obtained from late spring or early summer planting if special care is given. Stolons are available after May 15. Their perishable nature requires planting within 48 hours after receipt. Sold by planting area.

	Express Paid	Express Paid
100	sq. ft\$ 2.50	1000 sq. ft\$17.50
500	sq. ft 10.00	5000 sq. ft 80.00

SCOTTS TURF BUILDER

An application of this special grass food on your lawn in early spring and fall each year insures a thicker stand and greater freedom from weeds. Its use before seeding new lawns causes quicker formation of permanent sod.

Turf Builder does not contain animal or other refuse. It is clean and free from objectionable odors. It goes two or three times as far as ordinary fertilizers and lasts much longer. Apply to established lawns at the low rate of 10 lbs. per 1000 square feet. Use twice as much before seeding new lawns.

		Express	Pai	d		F	reight	Paid
10	lbs.	\$1,25	50	lbs.	\$3.75	500	Ibs	.\$27.50
25	lbs.	2.25	100	lbs.	6.50	Ton		. 97.50

GUIDE FOR ESTIMATING REQUIR	I VIG IS	ENTS
Rate per 10	000 sc	ı. ft.
New Lawns	Old	Lawns
Scotts Lawn Seed—Regular		
or Shade 6 lbs.	3	lbs.
Creeping Bent 3 lbs.	2	lbs.
White Clover ½ lb.	1	4 lb.
Turf Builder 20 lbs.	10	lbs.
Example of Figuring Lawn Ar		
Lot size—100 ft. x 72 ft	00 sq	. ft.
Less house, walk, gardens, etc. (one-		
third)2,4	00 sc	ı. ft.
Actual lawn area4,8	00 sc	į. It.
Requirements for making new lawn	on	this
size lot: 100 lbs. Scotts Turf Builder	and	1 25
lbs. Scotts Lawn Seed.		
Complete directions in every page	ekage	

FERTILIZERS

These fertilizers are recommended for your garden and lawn. (Swift & Company Products.)

	100 Lb.	Ton
Pure Raw Bone	\$3.25	\$60.00
Sheep Manure		51.00
Pulverized Cow Manure	2.80	51.00
General Garden 5-10-5	2.25	41.00
Vigoro		
Cotton-seed Meal		78.00
Superphosphate		27.50
Hydrated Lime		35.00
Peat Moss per bale	5.00	

QUANTITY OF COMMERCIAL FERTILIZER TO APPLY ON SMALL AREAS

100 lbs. per acre equals approx. 1 lb. per 436 sq. feet.
200 lbs. per acre equals approx. 1 lb. per 218 sq. feet.
300 lbs. per acre equals approx. 1 lb. per 145 sq. feet. 400 lbs. per acre equals approx. 1 lb. per 109 sq. feet. 500 lbs. per acre equals approx. 1 lb. per 87 sq. feet. 600 lbs. per acre equals approx. 1 lb. per 72 sq. feet. 700 lbs. per acre equals approx. 1 lb. per 62 sq. feet. 800 lbs. per acre equals approx. 1 lb. per 55 sq. feet. 900 lbs. per acre equals approx. 1 lb. per 48 sq. feet. 1000 lbs. per acre equals approx. 1 lb. per 44 sq. feet.

MULCHING TABLE

1 cubic yard will cover approximately:

50 square feet to a thickness of 6 inches

100 square feet to a thickness of 3 inches

150 square feet to a thickness of 2 inches

300 square feet to a thickeness of 1 inch

600 square feet to a thickness of ½ inch

1 bale of Peat will cover

300 square feet to a thickness of 1 inch.

1 cubic yard of Top Soil will plant
5 trees or 10 shrubs of average nursery size.
1 cubic yard of Cow Manure will fertilize
30 trees or 60 shrubs of average nursery size.

GARDEN TOOLS

We carry a general assortment that we believe to be the best. You will find them on display at our Sales Department.



Plants for Special Locations

PLANTS SUITABLE FOR THE ROCK GARDEN

Evergreens
Chamaecyp. ob. grac. com, 4'-5'
Chamaecyparis obtusa nana, 2'
Daphne cneorum, 1'
Juniperus chinensis sargenti, 1½'
Juniperus com. suecica nana, 3'
Juniperus horizontalis, 1'-1½'
Juniperus sahina taman'i

Juniperus horizontalis, 1'-1½'
Juniperus sabina tamarisci, 1½'
Juniperus squamata meyeri, 3'-4'
Leiophyllum buxifolium, 1½'
Picea excelsa maxwelli, 1'-2'
Picea glauca conica, 3'

Pinus montana mughus, 2½'-3'
Taxus bac, repandens, 1½'-2'
Taxus canadensis, 2'-2½'
Taxus cuspidata nana, 2'-3'
Thuja orien. aurea nana, 2½'-3'

DECIDUOUS SHRUBS

Cotoneaster horizontalis, 1½'-2' Deutzia gracilis, 3' Hypericum moserianum, 2' Viburnum op, nana, 1½'-2'

PLANTS FOR SHADED SITUATIONS

DECIDUOUS TREES AND SMALL SHRUBS

7′-8′ Acanthopanax pentaphylla, Amelanchier canadensis, 12'-15' Aronia arbutifolia, 6'-8' 8'-10' Aronia melanocarpa, Azalea arborescens, 10'-12'
Azalea nudiflora, 6'-8'
Azalea vaseyi, 5'-6'
Azalea viscosa, 4'-5' Calyanthus floridus, Cercis canadensis, 12'-15' Clethra alnifolia, 4'-5' Cercis canadensis, 12'-15'
Clethra alnifolia, 4'-5'
Cornus alternifolia, 15'-18'
Cornus florida, 15'-25'
Cornus florida rubra, 15'-20'
Hamamelis virginiana, 15'-20'
Hydrangea arbores. grand, 4'-5'
Hypericum aureum, 3'-4'
Ligustrum ibota regelian, 5'-6'
Lonicera fragrantissima 6'-8' Lonicera fragrantissima, Lonicera morrowi, 7'-8' Lonicera tatarica, 9'-10' 6'-8' Oxydendrum arboreum, 25'-30' Philadelphus, 9'-10' Rhodotypos kerriodes, 4'-5' Symphoricarpos rasemosa, 5'-6'

Symphoricarpos vulgare, 4'-5' Viburnum dentatum, 10'-12' Viburnum lentago, 18'-20' Zanthoriza apiifolia, 2'-3'

EVERGREENS

Azalea amonea, 2½'-3'
Azalea hindodegiri, 3'-4'
Buxus sempervirens suf., 12'-15'
Ilex crenata microphylla, 6'-8'
Ilex glabra, 5'-6'
Ilex opaca, 25'-30'
Juniperus communis, 2½'-3'
Kalmia latifolia, 5'-7'
Leucothoe catesbaei, 3'-4'
Mahonia aquifolium, 4'-5'
Mitchella repens, 3"-4"
Pachysandra terminalis, 6"-8"
Pieris floribunda, 3'-4'
Pieris japonica, 4'-5'
Rhodendron catawb., 6'-9'
Rhodendron hybrids, 3'-8'
Rhododendron maxim., 8'-12'
Taxus canadensis, 2'-2½'
Taxus cuspidata, 4'-5'
Tsuga canadensis, 75'-90'

PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS

SHRUBS

Acanthopanax pentaphyl, 7'-8' Berberis thunbergi, 4'-5' Forsythia suspensa, 5'-6' Lonicera spinosa alberti, 3'-4' Lonicera tatarica, 9'10' Myrica carolinensis, 4'-5' Rhus canadensis, 4'-5' Rosa rugosa, 4'-5' Rosa setigera, 5'-6' Symphoricarpos racemos, 5'-6' Symphoricarpos vulgare, 4'-5' Zanthoriza apiifolia, 2'-3'

VINES

Celastrus scandens, 20'-25' Lonicera halleana, 15'-20' Rosa wichuriana, 15'-20'

PLANTS FOR DRY SOIL

TREES

DECIDUOUS

Betula populifolia, 30'-40' Quercus alba, 100'

EVERGREEN

uniperus virginiana, 30'-50' Pinus resinosa, 80'-100' Pinus strobus, 80'-100' Pinus sylvestris, 70'-80'

SHRUBS DECIDUOUS

Acanthopanax pentaphyl, 7'-8'
Lespedeza formosum, 5'-6'
Myrica carolnensis, 4'-5'
Prunus maritima, 9'-10'
Rhus canadensis, 4'-5'
Rosa setigera, 10'12'
Symphoricarpos racemos., 5'-6'
Vaccinim corymbosum, 5'-6'
Viburnum lantana, 15'-18'

EVERGREEN

Juniperus sargenti, 2-2/2

Juniperus communis, 2'-21/2'

Juniperus communis, 2'-21/2'

Myrica carolinesis, 4'-5' Juniperus sargenti, 2'-21/2' Juniperus comm. depressa.. 11 Juniperus horizontalis, 1'-11/2' Juniperus horizontalis, Juniperus sabina, 6'-7' Mahonia aquifolium, 4'-5' Pachysandra terminalis, 8' Pinus montana mughus, 21/2'-3'

DECIDUOUS

Juniperus virginiana, 30'-50' Vaccinium corymbosum, 5'-6' Viburnum lentago, 18'-20' Cornus florida, 15'-25' Vigurnum lantana, 15'-18'

PLANT'S FOR WET OR MARSHY PLACES

DECIDUOUS TREES

Acer rubrum, 50'-75' Betula nigra, 50'-60' Larix leptolepsis, 50'-60' Liquidamber styraciflua, 50'-60' Quercus palustris, 75'-90' Salix babylonica, 50'-60' Taxodium distichum, 100' Ulmus americana, 80'-100'

SHRUBS

Aronia arbutifolius, 6'-8' Aronia melanocarpa, 8'-1 Abalea viscosa, 4'-5' Calyanthus floridus, 4'-5' Clethra alnifolia, 4'-5' Cornus amomum, 8'-9' Cornus tsolonifera, 7'-8' Ilex glabra, 5'-6' Ilex verticillata, 6'-8' Viburnum dentatum, 10'-Vburnum lentago, 18'-20' 10'-12'

BERRY-BEARING TREES AND SHRUBS

Aronia arbutifolia, 8'-10' Berberis thunbergi, 4'-5' Cornus firida, 15'-25' Cotoneaster horizontalis, 1'-1½'Cotoneaster hupehensis, 5'-6'Crataegus coccinea, 15'-20'Crataegus cordata, 12'-15' Crataegus cordata, 12'-15'
Crataegus crus-galli, 15'
Euonymus alatus, 9'-10'
Euonymus europaeus, 12'-14'
Euonymus radicans vegetus
Tex opaca 25'-30' nex opaca, 25'-30' Ilex verticillata, 6'-8' Lonicera maacki, 8'-9'
Lonicera morrowi, 7'-8'
Lonicera tatarica, 9'-10'
Malus floribunda, 12'-15' Malus sargenti, 8'-9' Nyssa sylvatica, 60'-70' Rhus canadensis, 3'-5'

Rosa rugosa, 4'-5' Sorbus aucuparia, 25'-30' Symphoricarpos vulgaris, 4'-5' Viburnum opulus, 9'-10' Cornus alba sibirica, Cornus stolonifera, 7'-8'
Myrica carolin. (gray), 2'-10'
Pachysandra terminalis, 8"-10"
Symphoricarpos racem, 5'-6'
Amelanchier asyndensis 25' Amelanchier canadensis, 25' Aronia melanocarpa, 8'-10' Ilex crenata bullata, 4'-5' Ilex crenata microphylla, Ilex glabra, 5'-6' Ligustrum regelianum, 4'-5' Rhodotypus kerrioides, 4'-5' Rhodotypus kerrioides, 4'-5 VYiburunm lantana, 15'-18' Berberis julianae, 6'-7' Vaccinium corymbosum, 4'-Viburnum dentatum, 10'-12' Viburnum lentago, 25'-30' 4'-12'

PLANTS WITH DISTINCTIVE BARK

Acer pennsylvan (Striped bark) | Fagus varieties (Gray bark Betula alba (White bark)
Carpinus bet. (Blue-gray bark)
Cornus alba sib. (Bright red bk.) Cornus stolon. (Deep red bark) Elaeagnus (Silvery bark) Euonymus alatus (Corkywinged bark)

Kerria japonica (Green bark) Laburnum vulgare (Green bara Liquidambar styraciflua (Corky ridged bark Laburnum vulgare (Green bark) ridged bark) Platanus orientalis (Spotted

creamy yellow bark)

PLANTS SUITABLE FOR HEDGES

Evergreens

TALL

Berberis julianae Chamaecyparis pisifera and var. Euonymus patens Picea excelsa Pinus strobus Taxus cuspidata capitata

LOW Berberis triacanthophora Berberis verruculosa Buxus

Chamaecyporis obtusa gracilis Ilex crenata bullata Ilex crenata microphylla Juniperus chinensis pfitzeriana Mahonia aquifolia Taxus cuspidata Taxus cuspidata nana Thuja occidentalis and varieties
Taxus media
Tsuga canadensis
Thuja occidentalis compacta and dwarf varieties Thuja occ. Little Gem Thuja orientalis nana aurea

Deciduous

TALL

Acer ginnala Carpinus betulus Crataegus crusgalli Crataegus oxycantha Euonymus alatus Fagus sylvatica Hibiscus syriacus Ligustrum ovalifolium Syringa vulgaris Viburnum dentatum Viburnum prunifolium

Berberis thunbergi Cydonia japonica Deutzia gracilis Ligustrum ovalifolium (clipped) Ligustrum regelianum Philadelphus lem. and varieties Rhodotypos kerriodes Rosa rugosa Spiraea Anthony Waterer Spiraea thunbergi Spiraea van houttei Stephanandra flexuosa Biburnum opulus nana

EVERGREEN CONIFERS

Tall Abies concolor, 50'-60' Abies homolepis., 60'-80' Abies nordmanniana, 80'-100' Abies veitchi, 50'-60' Cedrus atlantica glauca, 50'-60' Cedrus Libani, 60'-80' Chamaecyparis pisifera, 30'-40' Chamaecyparis pis. aur., 30'-40' Chamaecyparis plumosa, 35'-40' Chamaecyparis plu. aur., 30'-35' Chamaecyparis squarrosa, 30'-40' Cryptomeria jap. lobbi, 50'-60' Juniperus virginiana 30'-50' Juniperus virginiana, 30'-50'
Picea canadensis, 50'-60'
Picea excelsa, 80'-100'
Picea excelsa pyramid, 40'-50'
Picea orientalis, 60'-80'
Picea polita, 60'-80' Picea pungens, 70'-80'
Picea pungens glauca, 70'-80'
Picea pungens Kosteri, 50'-60'
Pinus flexilis, 35'-40'
Pinus nigra, 50'-60'
Pinus resinese 60' 70' Pinus resinosa, 60'-70' Pinus strobus, 80'-100' Pinus sylvestris, 40'-50' Pinus thunbergii, 60'-70' Pseudotsuga douglasi, 70 Pseudotsuga douglasi, 70'-80' Thuja occidentalis, 35'-40' Thuja occiden. pyramid. 25'-30' Tsuga canadensis, 70'-80' Tsuga caroliniana, 40'-50'

Medium Height
Chamaecyparis obtusa, 20'-25'
Chamaecyparis youngi, 20'-25'
Juniperus chinensis, 18'-20'
Juniperus chin. fortunei, 12'-15'
Juniperus chin. oblonga, 10'-12'
Juniperus virg. cannarti, 20'-25'
Juniperus virg. cannarti, 20'-25'
Juniperus virg. glauca, 20'-25'
Juniperus virg. glauca, 20'-25'
Juniperus virg. keteleeri, 18'-20'
Juniperus virg. schotti, 20'-25'
Pinus cembar, 25'-30'
Sciadopitys verticillata, 20'-25'
Taxus cuspidata hatfieldi, 15'
Thuja occ. doug. aurea, 15'-20'
Thuja occ. doug. pyramid. 20'-25'
Taxus canadensis, 2½'-3'
Taxus canadensis, 2½'-3' Medium Height

Thuja occ. elegant., 15'-20'
Thuja occ. lutea, 12'-15'
Thuja occ. rosenthali, 10'-12'
Thuja occ. vervaeneana, 10'-12'
Thuja occ. wareana, 12'-15'
Thuja occ. wareana, 12'-15' Thuja orient. conspicua, 10'-12' Thuja orient. elegant., 10'-12' Thuja standishi, 12'-15'

Shrubby Shrubby
Chamaecyparis ob. comp., 3'-4'
Cham. obt. cripp., (slow) 8'-10'
Cham. obt. grac. (slow) 10'-12'
Cham. obt. grac. compacta, 6'-8'
Cham. pis. fil. aurea, 10'-12'
Juniperus chin. albo var., 8'-10'
Juniperus chin. japonica, 4'-5'
Juniperus chin, pfitzeriana, 5'-6'
Juniperus canadensis, 3'-4'
Juniperus communis, 3'-4'
Juniperus excelsa stricta 5'-6' Juniperus communis, Juniperus excelsa stricta, 5'-6' Juniperus sabina, 5'-6' Jun. squamata meyeri, 6'-8' Juniperus suecica nana, 3'-4'
Juniperus virg. globosa, 4'-5'
Picea excelsa conica, 6'-8'
Picea glauca conica, 5'-6' Picea excessa conica, 6'-6'
Picea glauca conica, 5'-6'
Taxus bac. washington, 6'-8'
Taxus cuspidata, 10'-12'
Taxus cuspidata nana, 5'-6'
Taxus in media, 10'-12'
Taxus media hicksi, 10'-12' Thuja occ. compacta, 4'-5'
Thuja occ. globosa, 3'-4'
Thuja occ. hoveyi, 3'-4'
Thuja occ. pumila, 3'-4'
Thuja occ. woodwardi, 3'
Thuja occ. woodwardi, 3'

BROAD LEAVED EVERGREENS

Abelia grandiflora, 5'-6' Azalea ammoena, 4'-5' Azalea hinodegiri, 4'-5' Azalea kaempferi, hybrids, 3'-4' Azalea macrantha, 3'-4'

Berberis julianae. 6'-7' Cotoneatser horizontalis, 2'-21/2' Daphne cneorum, 1'
Euonymus patens, 8'-10'
Euonymus radicans, vine

Euonymus rad. coloratus, vine
Euonymus radicans vegetus, vine
Hedera helix and varieties, vine
Hex crenata, 12"-15"

Lonicera fragrantissima, 6'-8'
Lonicera japonica halliana, vine
Mahonia aquifolium, 3'-4'
Pachysandra terminalis, 6"-9" Hex crenata, 12"-15"
Hex crenata bullata, 3'-4' Ilex crenata microphylla, 8'-10' Hex glabra, 4'-6' Hex opaca, 30"-40"

Pachysandra terminalis, 6"-9" Pieris floribunda, 4'-5' Pieris japonica, 6'-7' Rhodendron carolinian., 5'-Rhodendron catawb., 8'-10' Rhodendron Hybrids, 4'-12' Rhodendron maxi., 12'-15' Yucca filamentosa, 2'-3'

SEASHORE PLANTING

Trees

rubrum Acer Betula populifolia Crataegus coccinea Crataegus Crusgalli Juniperus virginiana Larix europaea Picea alba Picea pungens Picea pungens kosteri Pinus montana mughus Pinus nigra Pinus resinosa Pinus sylvestris Pinus thunbergi Platanus orientalis Populus nigra italica Quercus rubra Salix elegantissima

Shrubs Berberis thunbergi Clethra alnifolia Hydrangea arborecsens grandifi. Hypericum Aureum **Nex verticillata** Ligustrum ovalifolium Ligustrum regelianum Lonicera tatarica Myrica carolinensis Prunus maritima Rhodotypos kerroides Rhus canadensis Rosa rugosa Symphoricarpos vulgaris Viburnum dentatum Viburnum lentago

PLANTS FOR AUTUMN COLORING

Trees

Acer ginnala, 12'-20' Acer rubrum, 50'-75' Acer saccharum, 50'-75' Betula lutea, 90'-100' Cornus florida, 15'-25' Crataegus cordata, 15'-25' Liquidambar styracifi., 50'-60' Oxydendrum arboreum, 25'-30' Quercus alba, 100' Quercus coccinea, 75'-90' Quercus palustris, 75'-90' Quercus rubra, 75'-90' 75'-90'

Shrubs

Aronia arbutifolia, 6'-8' Aronia melanocarpa, 8'-10' Celastrus scandens Clethra alnifolia, 7'-8' Cotoneaster in variety Enklanthus campanul., Euonymus alatus, 9'-10' 12'-15' Euonymus aracti, Mahonia aquifolia, 3'-4' Rhus canadensis, 3'-Rhus cotinus, 12'-15' Styrax japonica, 18' Vaccinium corymbosum, 5'-6' Viburnum (all species)

INDEX

P	age	p	ag
Abelia	50	Kerria	28 5
Abies4	. 5	Koelreuteria	4
Acanthopanax	50	Kolkwitzia	
Acer33, 34	35	Larix	
Aesculus	36	Lawn Seed79,	8
Ailanthus	36	Lespedeza	5'
Akebia	70	Leucothoe	31
Amelanchier	50	Ligustrum 57, 58,	6
Ampelopsis	70	Liquidambar	4
Amsonia		Lilacs62, 63,	6
Amygalus	37	Liriodendron	4
Apples	75	Lonicera 58,	
Aralia	37	Magnolia	
Aristolochia	70	Mahonia	3(
Aronia	50	Malus 42,	
Asparagus	78	Morus	
Astilbe	72	Myrica	58
Azalea 27, 50,	51	Nut Trees	78
Benzoin	51	Ornamental Grass	73
Berberis	66	Oxydendron	44
Betula	37	Pachistima	30
Bignonia	70	Pachysandra	30
Blackberries	77	Paeonia72,	73
Buddleia	o2	Peaches76,	7'
Buxus 5. Calycanthus	28	PearsPhiladelphus	75
Caragana	53	Philadelphus	5
Carpinus	ეკ ეგ	Phlox	73
Catalpa	24	Photinia	61
Cedrus	30 5	Physocarpus	60
Celastrus	70	Picea13, 14, 15,	16
Cephalanthus	23	Pieris	3
Cercis	22	Platanus	12
Chamaecyparis	R	Plums	44
Cherries75,	76	Populus	4.0
Chrysanthemum	72	Prunus44, 45, 46,	60
Clematis	70	Pseudotsuga	1.0
Clethra	53	Ptelia	
Coreopsis	72	Pyracautha	60
Cornus 38	53	Que cus	46
Cotoneaster 28	54	Quinces	
Crataegus 39.	54	Raspherries	77
Cryptomeria		Rhododendron	
Currants	77	Rhodotypes	60
Crab Apples	75	Rhubarb	78
Cydonia	54	Rhus	61
Daphne	28	Robina46,	61
Deutzia	54	Poses 67, 68, 69,	70
Diervilla	54	Rudbeckia	73
Eleagnus		Salix	47
Enkianthus	55	Sambueus	61
Euonymus 28, 55,	71		18
Fagus	40	Sorbus	47
Forsythia	81		62
	55 40	Stephanandra	
C	81	Strawberries	78
Ginkgo			62
	41	Syringa62, 63.	64
	78		64
<u>^</u>	78		47
	41		21 32
	41	Thuja21, 22, 23, 24,	$\frac{32}{25}$
Hamamelis		A 2 4	48
Hedera29.	71		26
Helianthus	$7\overline{2}$		49
Hibiscus56,	72		64
Hosta	7 2		73
Hydrangea	56	Viburnum	
llex29, 30,	57	Vincor	
	72	Weigelia	66
Japanese Maples	36	Wisteria	71
	13	Yucca	
Kalmia	30	Zanthorhiza	66

